

PUBLICATIONS: ANGELA M. GRONENBORN

1. Ewers, E, **Gronenborn, AM**, Günther, H, Jaenicke, L. Protonation and covalent hydration of nitrogen heterocycles - a carbon-13 NMR study. Chemistry and Biology of Pteridines, p. 687. Walter de Gruyter, Berlin/New York, 1976.
2. Günther, H, **Gronenborn, AM**, Ewers, U, Seel, H. Carbon-13 NMR results in the field of nitrogen heterocycles: The detection of protonation sites. The Jerusalem Symposia on Quantum Chemistry and Biochemistry, Vol. 7, p. 196, NMR Spectroscopy in Molecular Biology, 1978.
3. Günther, H, **Gronenborn, AM**. ¹³C-NMR spectra of aromatic N-oxides. Heterocycles 11, 337, 1978.
4. Feeney, J, Roberts, GCK, Kaptein R, Birdsall, B, **Gronenborn, AM**, Burgen, ASV. Photo CIDNP studies on the influence of ligand binding on the surface accessibility of aromatic residues in *L. casei* dihydrofolate reductase. Biochemistry 19, 2466, 1980.
5. Wyeth, P, **Gronenborn, AM**, Birdsall, B, Roberts, GCK, Feeney, J, Burgen, ASV. Histidine residues of *L. casei* dihydrofolate reductase: paramagnetic relaxation, deuterium exchange studies and partial assignments. Biochemistry 19, 2608, 1980.
6. Birdsall, B, **Gronenborn, AM**, Hyde, EI, Roberts, GCK, Feeney, J, Burgen, ASV. Demonstration and characterization of two coexisting conformations of an enzyme complex by NMR. Biochem. Soc. Trans. 8, 637, 1980.
7. **Gronenborn, AM**, Birdsall, B, Hyde, EI, Roberts, GCK, Feeney, J, Burgen, ASV. Direct observation by NMR of two coexisting conformations of an enzyme-ligand complex in solution. Nature 290, 273-274, 1981.
8. **Gronenborn, AM**, Birdsall, B, Hyde, EI, Roberts, GCK, Feeney, J, Burgen, ASV. Effects of coenzyme binding on the histidine residues of *Lactobacillus casei* dihydrofolate reductase. Biochemistry 20(7), 1717-1722, 1981.
9. **Gronenborn, AM**, Birdsall, B, Hyde, EI, Roberts, GCK, Feeney, J, Burgen, ASV. ¹H and ³²P NMR characterization of two conformations of the trimethoprim-NADP⁺- dihydrofolate reductase complex. Mol. Pharmacol. 20, 145, 1981.
10. **Gronenborn, AM**, Davies, RW. DNA binding by dihydrofolate reductase from *Lactobacillus casei*. J. Biol. Chem. 256, 12152, 1981.
11. Birdsall, B, **Gronenborn, AM**, Clore, GM, Roberts, GCK, Feeney, J, Burgen, ASV. ¹³C-NMR evidence for three slowly interconverting conformations of the dihydrofolate reductase-NADP⁺ folate complex. Biochem. Biophys. Res. Commun. 101(4): 1139-1144, 1981.
12. **Gronenborn, AM**, Clore, GM, Davies, RW. Modulation of specific binding of *Lactobacillus casei* dihydrofolate reductase to DNA by folinic acid. FEBS Lett. 133, 92, 1981.
13. Clore, GM, Roberts, GCK, **Gronenborn, AM**, Birdsall, B, Feeney, J. Transfer of saturation NMR studies of protein-ligand complexes: the case of three site exchange. J. Magn. Reson. 45, 143, 1981.

14. **Gronenborn, AM**, Clore, GM, Blazy, B, Baudras, A. Conformational selection of syn-cAMP upon binding to the cAMP receptor protein. *FEBS Lett.* 136, 160, 1981.
15. Davies, RW, **Gronenborn, AM**. Molecular cloning of the gene for dihydrofolate reductase from *Lactobacillus casei*. *Gene* 17, 229, 1982.
16. Clore, GM, **Gronenborn, AM**. Kinetic and structural studies on the intermediates formed in the reactions of 5'-adenosine monophosphate and 5'-guanosine monophosphate with cis-dichlorodiammineplatinum II using ^1H and ^{195}Pt magnetic resonance spectroscopy. *J. Am. Chem. Soc.* 04, 1369, 1982.
17. **Gronenborn, AM**, Roth, K. NMR in vivo (Part I). *Chemie in unserer Zeit* 1, 1, 1982.
18. Roth, K, **Gronenborn, AM**. NMR Tomographie (Part II) *Chemie in unserer Zeit* 2, 35, 1982.
19. Clore, GM, **Gronenborn, AM**, Davies, RW. Theoretical aspects of specific and non-specific equilibrium binding of proteins to DNA as studied by the nitrocellulose filter binding assay: cooperative and non-cooperative binding to a one-dimensional lattice. *J. Mol. Biol.* 155, 447-466, 1982.
20. Clore, GM, **Gronenborn, AM**. Theory and applications of the transferred nuclear Overhauser effect to the study of the conformations of small ligands bound to proteins. *J. Magn Reson.* 48, 402, 1982.
21. **Gronenborn, AM**, Clore, GM. Conformation of NAD^+ bound to yeast and horse liver alcohol dehydrogenase in solution: the use of the proton-proton transferred nuclear Overhauser enhancement. *J. Mol. Biol.* 157, 155, 1982.
22. Takahashi, M, **Gronenborn, AM**, Clore, GM, Blazy, B, Baudras, B. DNA binding of cAMP receptor protein and its N-terminal core stabilizes the double helix and is modulated by cAMP. *FEBS Lett.* 139, 37, 1982.
23. **Gronenborn, AM**, Clore, GM. Proton nuclear magnetic resonance studies on cyclic nucleotide binding to the *Escherichia coli* adenosine 3',5'-phosphate receptor protein. *Biochemistry* 21, 4040-4048, 1982.
24. Clore, GM, **Gronenborn, AM**. Proton nuclear magnetic resonance study of the histidine residues of the *Escherichia coli* adenosine 3',5'-phosphate receptor protein: pH titration behaviour, deuterium exchange and partial assignments. *Biochemistry* 21, 4048, 1982.
25. Clore, GM, **Gronenborn, AM**. Determination of the conformations of cyclic nucleotides bound to the N-terminal core of the cyclic AMP receptor protein of *Escherichia coli* by ^1H -NMR. *FEBS Lett.* 145, 197, 1982.
26. Clore, GM, **Gronenborn, AM**, Mitchinson, C, Green, NM. ^1H -NMR studies on nucleotide binding to the sarcoplasmic reticulum Ca^{2+} ATPase: determination of the conformations of bound nucleotides by the measurement of proton-proton transferred nuclear Overhauser enhancements. *Eur. J. Biochem.* 128, 113, 1982.
27. Birdsall, B, **Gronenborn, AM**, Hyde, EI, Clore, GM, Roberts, GCK, Feeney, J, Burgen, ASV. ^1H , ^{13}C and ^{31}P NMR studies of the dihydrofolate reductase-NADP $^+$ -folate complex: characterization of three coexisting conformational states. *Biochemistry* 21, 5831, 1982.

28. Unger, B, Clore, GM, **Gronenborn, AM**, Hillen, W. Specific DNA binding of the cAMP receptor protein within the *lac* operon stabilizes double stranded DNA in the presence of cAMP. *EMBO J.* 2, 289, 1983.
29. **Gronenborn, AM**, Clore, GM, Gronenborn, B. Protection against nuclease cleavage of pBR322 DNA by the cAMP receptor protein of *Escherichia coli*. *J. Mol. Biol.* 166, 93, 1983.
30. **Gronenborn, AM**, Clore, GM. Characterization of the DNA binding region recognized by dihydrofolate reductase from *Lactobacillus casei*. *J. Biol. Chem.* 258, 11256, 1983.
31. Clore, GM, **Gronenborn, AM**. Theory of the time dependent transferred nuclear Overhauser effect: application to the structural analysis of ligand-protein complexes in solution. *J. Magn. Reson.* 53, 423, 1983.
32. Clore, GM, Kimber, BJ, **Gronenborn, AM**. The 1-1 hard pulse: a novel, simple and effective method of water resonance suppression in FT-¹H-NMR. *J. Magn. Reson.* 54, 170, 1983.
33. Martin, SR, **Gronenborn, AM**, Clore, GM. Specific DNA binding of the cAMP receptor protein to a synthetic oligodeoxyribonucleotide: a circular dichroism study. *FEBS Lett.* 159, 102, 1983.
34. **Gronenborn, AM**, Kimber, BJ, Clore, GM, McLaughlin, LW. A nuclear magnetic resonance study of the ribotrinucleoside diphosphate UpUpC. *Nucleic Acids Res.* 11, 5691, 1983.
35. Clore, GM, **Gronenborn, AM**, Davies, RW. Cooperative non-specific DNA binding of the N-terminal core of the cyclic AMP receptor protein of *Escherichia coli* and its modulation by cyclic AMP. *FEBS Lett.* 164, 57, 1983.
36. Clore, GM, **Gronenborn, AM**. Sequence dependent structural variations in two right handed alternating pyrimidine-purine DNA oligomers in solution determined by nuclear Overhauser enhancement measurements. *EMBO J.* 2(12): 2109-2015, 1983, PMC 555421.
37. **Gronenborn, AM**, Clore, GM, Jones, MB, Jiricny, J. A nuclear Overhauser enhancement study on the imino proton resonances of a DNA pentadecamer comprising the specific target site of the cyclic AMP receptor protein in the *ara* BAD operon. *FEBS Lett.* 165, 216, 1984.
38. Clore, GM, **Gronenborn, AM**, Birdsall, BM, Feeney, J, Roberts, GCK. ¹⁹F-NMR studies of 3',5'-difluoromethotrexate binding to *Lactobacillus casei* dihydrofolate reductase: molecular motion and coenzyme induced conformational changes. *Biochem. J.* 217, 659, 1984.
39. **Gronenborn, AM**, Papadopoulos, P, Clore, GM. Immunochemical evidence for extensive ligand induced conformational changes in *Lactobacillus casei* dihydrofolate reductase. *J. Biol. Chem.* 259, 1082, 1984.
40. Antonjuk, DJ, Birdsall, BM, Chang, HTA, Clore, GM, Feeney, J, **Gronenborn, AM**, Roberts, GCK, Tran, TQ. A ¹H-NMR study of the role of the glutamate moiety in the binding of methotrexate to *Lactobacillus casei* dihydrofolate reductase. *Br. J. Pharmacol.* 81, 309, 1984.
41. **Gronenborn, AM**, Clore, GM, Jeffery, J. An unusual conformation of NAD⁺ bound to sorbitol dehydrogenase: a time dependent transferred nuclear Overhauser effect study. *J. Mol. Biol.* 172, 559, 1984.

42. Clore, GM, **Gronenborn, AM**, McLaughlin, LW. Structure of the ribotrinucleoside diphosphate codon UpUpC bound to tRNA^{Phe} from yeast: a time dependent transferred nuclear Overhauser enhancement study. *J. Mol. Biol.* 174, 163, 1984.
43. Clore, GM, **Gronenborn, AM**. A Nuclear Overhauser enhancement study of the solution structure of a double stranded DNA undecamer comprising a portion of the specific target site for the cyclic AMP receptor protein in the *gal* operon: sequential resonance assignment. *Eur. J. Biochem.* 141, 119, 1984.
44. **Gronenborn, AM**, Clore, GM, Kimber, BJ. An investigation into the solution structures of two self-complementary DNA oligonucleotides 5'd-CGTACG and 5'd-ACGCGCGT by means of nuclear Overhauser enhancement measurements. *Biochem. J.* 221, 723, 1984.
45. Clore, GM, **Gronenborn, AM**, Piper, EA, McLaughlin, LW, Graeser, E, van Boom, JH. The solution structure of a RNA pentadecamer comprising the anticodon loop and stem of yeast tRNA^{Phe}: a 500 MHz ¹H-NMR study. *Biochem. J.* 221, 737, 1984.
46. Birdsall, BM, Bevan, AW, Pascual, C, Roberts, GCK, Feeney, J, **Gronenborn, AM**, Clore, GM. Multinuclear NMR characterization of two coexisting conformational states of the *Lactobacillus casei* dihydrofolate reductase-trimethoprim-NADP⁺ complex. *Biochemistry* 23(20): 4733-4742, 1984.
47. **Gronenborn, AM**, Clore, GM, Brunori, M, Giardina, B, Falcioni, G, Perutz, MF. Stereochemistry of ATP and GTP bound to fish haemoglobins: a transferred nuclear Overhauser enhancement, ³¹P-nuclear magnetic resonance, oxygen equilibrium and molecular modelling study. *J. Mol. Biol.* 178, 731, 1984.
48. Clore, GM, **Gronenborn, AM**. An investigation into the solution structure of the single stranded DNA undecamer 5'd- AAGTGTGATAT by means of nuclear Overhauser enhancement measurements. *Eur. Biophys. J.* 11, 95, 1984.
49. Clore, GM, **Gronenborn, M**. Internal mobility in a double stranded B DNA hexamer and undecamer: a time dependent proton-proton nuclear Overhauser enhancement study. *FEBS Lett.* 172, 219, 1984.
50. Chung, SH, Johnson, MS, **Gronenborn, AM**. L-cycloserine: a potent anti-convulsant. *Epilepsy* 25, 353, 1984.
51. Clore, GM, **Gronenborn, AM**. Interproton distance measurements in solution for a double stranded DNA undecamer comprising a portion of the specific target site for the cyclic AMP receptor protein in the *gal* operon: a nuclear Overhauser enhancement study. *FEBS Lett.* 175, 117, 1984.
52. **Gronenborn, AM**, Clore, GM, McLaughlin, LW, Graeser, E, Lorber, B, Giege, R. Yeast tRNA^{Asp}: Codon and wobble codon-anticodon interactions: a transferred nuclear Overhauser enhancement study. *Eur. J. Biochem.* 145, 359, 1984.
53. **Gronenborn, AM**, Clore, GM, Hobbs, L, Jeffery, J. Glucose-6-phosphate dehydrogenase: a transferred nuclear Overhauser enhancement study of NADP⁺ conformations in enzyme-coenzyme binary complexes. *Eur. J. Biochem.* 145, 365, 1984.
54. Clore, GM, Lauble, H, Frenkiel, TA, **Gronenborn, AM**. A two-dimensional NMR study of the solution structure of a DNA dodecamer comprising the consensus sequence for the specific DNA binding sites of the glucocorticoid receptor protein. *Eur. J. Biochem.* 145, 629, 1984.

55. **Gronenborn, AM**, Nermut, MV, Eason, P, Clore, GM. Visualization of cAMP receptor protein-induced DNA kinking by electron microscopy. *J. Mol. Biol.* 179, 751, 1984.
56. Clore, GM, **Gronenborn, AM**. Assessment of errors involved in the determination of interproton distance ratios and distances by means of one- and two-dimensional NOE measurements. *J. Magn. Reson.* 61, 158, 1985.
57. Clore, GM, **Gronenborn, AM**. Probing the three-dimensional structures of DNA and RNA oligonucleotides in solution by nuclear Overhauser enhancement measurements. *FEBS Lett.* 179, 187, 1985.
58. **Gronenborn, AM**, Clore, GM. Investigations into the solution structures of short nucleic acid fragments by means of nuclear Overhauser enhancement measurements. *Progr. Nucl. Magn. Reson. Spectrosc.* 17, 1, 1985.
59. Andrews, J, Clore, GM, Davies, RW, **Gronenborn, AM**, Gronenborn, B, Kalderon, D, Papadopoulos, PC, Schafer, S, Sims, PFG, Stancombe, R. Nucleotide sequence of the dihydrofolate reductase gene of methotrexate-resistant *Lactobacillus casei*. *Gene* 35, 217, 1985.
60. Perutz, MF, **Gronenborn, AM**, Clore, GM, Hogg, JH, Shi, T. The pK_a values of two histidine residues in human haemoglobin, the Bohr effect and the dipole moment of α -helices. *J. Mol. Biol.* 183, 491-498, 1985.
61. Perutz, MF, **Gronenborn, AM**, Clore, GM, Shi, T, Craescu, CT. Comparison of histidine proton magnetic resonances of human carbonmonoxyhaemoglobin in different buffers. *J. Mol. Biol.* 186, 471, 1985.
62. Clore, GM, **Gronenborn, AM**. The solution structure of a B-DNA undecamer comprising a portion of the specific target site for the cAMP receptor protein in the *gal* operon: refinement on the basis of interproton distance data. *EMBO J.* 4, 829, 1985.
63. Clore, GM, **Gronenborn, AM**, Moss, DS, Tickle, IJ. Refinement of the solution structure of the B-DNA hexamer 5'd(CGTACG)₂ on the basis of interproton distance data. *J. Mol. Biol.* 185, 219, 1985.
64. Clore, GM, **Gronenborn, AM**, McLaughlin, LW. The structure of the double-stranded RNA pentamer 5'(CACAG)-5'(CUGUG) determined by nuclear Overhauser enhancement measurements: interproton distance determination and structure refinement on the basis of X-ray coordinates. *Eur. J. Biochem.* 151, 153, 1985.
65. Clore, GM, **Gronenborn, AM**, Brunger, AT, Karplus, M. Solution conformation of a heptadecapeptide comprising the DNA binding helix F of the cyclic AMP receptor protein of *Escherichia coli*: combined use of ¹H-nuclear magnetic resonance and restrained molecular dynamics. *J. Mol. Biol.* 186, 435, 1985.
66. **Gronenborn, AM**, Clore, GM. Overproduction of the cyclic AMP receptor protein of *Escherichia coli* and expression of the engineered C-terminal DNA-binding domain. *Biochem. J.* 236, 643, 1986.
67. Clore, GM, **Gronenborn, AM**, Greipel, J, Maass, G. Conformation of the DNA undecamer 5'd(AAGTGTGATAT) bound to the single-stranded DNA binding protein of *Escherichia coli*: a time dependent transferred nuclear Overhauser enhancement study. *J. Mol. Biol.* 187, 119, 1986.

68. Nilsson, L, Clore, GM, **Gronenborn, AM**, Brünger, AT, Karplus, M. Structure refinement of oligonucleotides by molecular dynamics with nuclear Overhauser effect interproton distance restraints: application to 5'd(CGTACG)₂. *J. Mol. Biol.* 188, 455, 1986.
69. Clore, GM, **Gronenborn, AM**, Carlson, G, Meyer, EF. Stereochemistry of binding of the tetrapeptide Acetyl-Pro-Ala-Pro-TyrNH₂ to porcine pancreatic elastase: combined use of two-dimensional transferred nuclear Overhauser enhancement measurements, restrained molecular dynamics, X-ray crystallography and molecular modelling. *J. Mol. Biol.* 190, 259, 1986.
70. Brünger, AT, Clore, GM, **Gronenborn, AM**, Karplus, M. Three-dimensional structure of proteins determined by molecular dynamics with interproton distance restraints: application to crambin. *Proc. Natl. Acad. Sci. U.S.A.* 83, 3801, 1986.
71. Clore, GM, Brünger, AT, Karplus, M, **Gronenborn, AM**. Application of molecular dynamics with interproton distance restraints to three-dimensional protein structure determination: a model study of crambin. *J. Mol. Biol.* 191, 523, 1986.
72. Clore, GM, Martin, SR, **Gronenborn, AM**. Solution structure of human growth hormone releasing factor: combined use of circular dichroism and nuclear magnetic resonance spectroscopy. *J. Mol. Biol.* 191, 553, 1986.
73. **Gronenborn, AM**, Clore, GM, Schmeissner, U, Wingfield, P. A ¹H-NMR study of human interleukin-1 β : sequence-specific assignment of aromatic residues using site-directed mutant proteins. *Eur. J. Biochem.* 161, 37, 1986.
74. Zarbock, J, Clore, GM, **Gronenborn, AM**. Nuclear magnetic resonance study of the globular domain of chicken histone H5: resonance assignment and secondary structure. *Proc. Natl. Acad. Sci. U.S.A.* 83, 7628, 1986.
75. Minter, SJ, Clore, GM, **Gronenborn, AM**, Davies, RW. Cooperative DNA binding by lambda integration protein - a key component of specificity. *Eur. J. Biochem.* 161, 727, 1986.
76. Clore, GM, Nilges, M, Sukumaran, DK, Brünger, AT, Karplus, M, **Gronenborn, AM**. The three-dimensional structure of α 1-purothionin in solution: combined use of nuclear magnetic resonance, distance geometry and restrained molecular dynamics. *EMBO J.* 5, 2729, 1986.
77. Happ, E, Scalfi-Happ, C, Clore, GM, **Gronenborn, AM**. Chemical synthesis of r(GCAUGC) for high-resolution ¹H-NMR studies. *Nucleic Acids Symp. Ser.* 18, 265, 1987.
78. MacDonald, HB, Wingfield, P, Schmeissner, U, Shaw, A, Clore, GM, **Gronenborn, AM**. Point mutations of human interleukin-1 with decreased receptor binding affinity. *FEBS Lett.* 209, 295, 1986.
79. Clore, GM, Sukumaran, DK, **Gronenborn, AM**, Teeter, MM, Whitlow, M, Jones, BL. Nuclear magnetic resonance study of the solution structure of α 1-purothionin: sequential resonance assignment, secondary structure and low resolution tertiary structure. *J. Mol. Biol.* 193, 571, 1987.
80. Gent, M, **Gronenborn, AM**, Davies, RW, Clore, GM. Probing the sequence-specific interaction of the cyclic AMP receptor protein with DNA by site-directed mutagenesis. *Biochem. J.* 242, 645, 1987.

81. Sukumaran, DK, Clore, GM, Preuss, A, Zarbock, J, **Gronenborn, AM**. A proton nuclear magnetic resonance study of hirudin: resonance assignment and secondary structure. *Biochemistry* 26, 333, 1987.
82. Clore, GM, Sukumaran, DK, Nilges, M, **Gronenborn, AM**. The three-dimensional structure of phoratoxin in solution: combined use of nuclear magnetic resonance, distance geometry and restrained molecular dynamics. *Biochemistry* 26, 1732, 1987.
83. Brünger, AT, Campbell, RL, Clore, GM, **Gronenborn, AM**, Karplus, M, Petsko, GA, Teeter, MM. Solution of a protein crystal structure with a model obtained from NMR interproton distance restraints. *Science* 235, 1049, 1987.
84. Clore, GM, Sukumaran, DK, Nilges, M, Zarbock, J, **Gronenborn, AM**. The conformations of hirudin in solution: a study using nuclear magnetic resonance, distance geometry and restrained molecular dynamics. *EMBO J.* 6, 529, 1987.
85. Clore, GM, Nilges, M, Brünger, AT, Karplus, M, **Gronenborn, AM**. A comparison of the restrained molecular dynamics and distance geometry methods for determining three-dimensional structures of proteins on the basis of interproton distances. *FEBS Lett.* 213, 269, 1987.
86. **Gronenborn, AM**, Bovermann, G, Clore, GM. A ¹H-NMR study of the solution conformation of secretin: resonance assignment and secondary structure. *FEBS Lett.* 215, 88, 1987.
87. Clore, GM, **Gronenborn, AM**, Nilges, M, Sukumaran, DK, Zarbock, J. The polypeptide fold of the globular domain of histone H5 in solution: a study using nuclear magnetic resonance, distance geometry and restrained molecular dynamics. *EMBO J.* 6, 1833, 1987.
88. Nilges, M, Clore, GM, **Gronenborn, AM**, Brünger, AT, Karplus, M, Nilsson, L. Refinement of the solution structure of the DNA hexamer 5'd(GCATGC)₂: combined use of nuclear magnetic resonance and restrained molecular dynamics. *Biochemistry* 26, 3718, 1987.
89. Nilges, M, Clore, GM, **Gronenborn, AM**, Piel, N, McLaughlin, LW. Refinement of the solution structure of the DNA decamer 5'd(CTGGATCCAG)₂: combined use of nuclear magnetic resonance and restrained molecular dynamics. *Biochemistry* 26, 3734, 1987.
90. Wingfield, P, Graber, P, Movva, NR, **Gronenborn, AM**, McDonald, HR. N-terminal methionylated interleukin-1 β has reduced receptor binding activity. *FEBS Lett.* 215, 160, 1987. Erratum in *FEBS Lett.* 220(1):253
91. Shih, DT, Perutz, F, **Gronenborn, AM**, Clore, GM. Histidine proton resonances of carbonmonoxyhaemoglobins A and Cowtown in chloride-free buffer. *J. Mol. Biol.* 195, 453, 1987.
92. Gent, ME, Gartner, S, **Gronenborn, AM**, Sandulache, R, Clore, GM. Site-directed mutants of the cAMP receptor protein - DNA binding of five mutant proteins. *Protein Eng.* 1, 201, 1987.
93. Clore, GM, **Gronenborn, AM**, Nilges, M, Ryan, CA. Three-dimensional structure of potato carboxypeptidase inhibitor in solution: a study using nuclear magnetic resonance, distance geometry and restrained molecular dynamics. *Biochemistry* 26, 8012, 1987.

94. Jansen, C, **Gronenborn, AM**, Clore, GM. The binding of the cyclic AMP receptor protein to synthetic DNA sites containing permutations in the consensus sequence TGTGA. *Biochem. J.* 246, 227, 1987.
95. Nilges, M, Clore, GM, **Gronenborn, AM**. A simple method for delineating well-defined and variable regions in protein structures determined from interproton distance data. *FEBS Lett.* 219, 11, 1987.
96. Clore, GM, **Gronenborn, AM**, Kjær, M, Poulsen, FM. The determination of the three-dimensional structure of barley serine proteinase inhibitor 2 by nuclear magnetic resonance, distance geometry and restrained molecular dynamics. *Protein Eng.* 1, 305, 1987.
97. Clore, GM, **Gronenborn, AM**, James, MNG, Kjær, M, McPhalen, CA, Poulsen, FM. Comparison of the solution and X-ray structures of barley serine proteinase inhibitor 2. *Protein Eng.* 1, 313, 1987.
98. Clore, GM, **Gronenborn, AM**. Determination of three-dimensional structures of proteins in solution by nuclear magnetic resonance spectroscopy. *Protein Eng.* 1, 275, 1987.
99. Wingfield, P, Mattaliano, R, MacDonald, HR, Craig, S, Clore, GM, **Gronenborn, AM**, Schmeissner, U. Recombinant-derived interleukin-1 α stabilized against specific deamidation. *Protein Eng.* 1, 413, 1987.
100. Bax, A, Sklenar, V, Clore, GM, **Gronenborn, AM**. Water suppression in two-dimensional spin-locked NMR experiments using a novel phase cycling procedure. *J. Am. Chem. Soc.* 109, 6511, 1987.
101. Brünger, AT, Clore, GM, **Gronenborn, AM**, Karplus, M. Solution conformations of human growth hormone releasing factor: comparison of the restrained molecular dynamics and distance geometry methods for a system without long-range distance data. *Protein Eng.* 1, 399, 1987.
102. Oschkinat, H, Clore, GM, Nilges, M, **Gronenborn, AM**. Application of the z-COSY technique to macromolecules: measuring coupling constants with a modified pulse sequence. *J. Magn. Reson.* 75, 534, 1987.
103. Meyer, EF, Clore, GM, **Gronenborn, AM**, Hansen, HAS. Analysis of an enzyme-substrate complex by X-ray crystallography and transferred nuclear Overhauser enhancement measurements: porcine pancreatic elastase and a hexapeptide. *Biochemistry* 27, 725, 1987.
104. Clore, GM, Nilges, M, Brünger, AT, **Gronenborn, AM**. Determination of the backbone conformation of secretin by restrained molecular dynamics on the basis of interproton distance data. *Eur. J. Biochem.* 171, 479, 1988.
105. Happ, CS, Happ, E, Nilges, M, **Gronenborn, AM**, Clore, GM. Refinement of the solution structure of the ribonucleotide 5'r(GCAUGC)₂: combined use of nuclear magnetic resonance and restrained molecular dynamics. *Biochemistry* 27, 1735, 1988.
106. Clore, GM, Oschkinat, H, McLaughlin, LW, Benseler, F, Happ, CS, Happ, E, **Gronenborn, AM**. Refinement of the solution structure of the DNA dodecamer 5'd(CGCGPATTCGCG)₂ containing a stable purine-thymine base pair: combined use of nuclear magnetic resonance and restrained molecular dynamics. *Biochemistry* 27, 4185, 1988.
107. Allet, B, Payton, M, Mattaliano, RJ, **Gronenborn, AM**, Clore, GM, Wingfield, PT. Purification and characterization of the DNA-binding protein Ner of bacteriophage Mu. *Gene* 65, 259, 1988.

108. **Gronenborn, AM**, Sandulache, R, Gärtner, S, Clore, GM. Mutations in the cyclic AMP binding site of the cyclic AMP receptor protein of Escherichia coli. *Biochem. J.* 253, 801, 1988.
109. Cieslar, C, Clore, GM, **Gronenborn, AM**. Automatic phasing of pure phase absorption two-dimensional NMR spectra. *J. Magn. Reson.* 79, 154, 1988.
110. Cieslar, C, Clore, GM, **Gronenborn, AM**. Computer aided sequential assignment of protein ¹H-NMR spectra. *J. Magn. Reson.* 80, 119, 1988.
111. Nilges, M, Clore, GM, **Gronenborn, AM**. Determination of three-dimensional structures of proteins from interproton distance data by hybrid distance geometry-dynamical simulated annealing calculations. *FEBS Lett.* 229, 317, 1988.
112. Oschkinat, H, Griesinger, C, Kraulis, PJ, Sørensen, OW, Ernst, RR, **Gronenborn, AM**, Clore, GM. Three-dimensional NMR spectroscopy of a protein in solution. *Nature* 332, 374-376, 1988.
113. Nilges, M, **Gronenborn, AM**, Brünger, AT, Clore, GM. Determination of three-dimensional structures of proteins by simulated annealing with interproton distance restraints: application to crambin, potato carboxypeptidase inhibitor and barley serine proteinase inhibitor 2. *Protein Eng.* 2, 27, 1988.
114. Oschkinat, H, Clore, GM, **Gronenborn, AM**. A two-dimensional nuclear Overhauser enhancement experiment using semiselective soft pulses and its applications to proteins. *J. Magn. Reson.* 78, 371, 1988.
115. Holak, TA, Engström, Å, Kraulis, PJ, Lindeberg, G, Bennich, H, Jones, TA, **Gronenborn, AM**, Clore, GM. The solution conformation of the antibacterial peptide cecropin A: a nuclear magnetic resonance and dynamical simulated annealing study. *Biochemistry* 27, 7620, 1988.
116. Holak, TA, Nilges, M, Prestegard, H, **Gronenborn, AM**, Clore, GM. Three-dimensional structure of acyl carrier protein in solution determined by nuclear magnetic resonance and the combined use of dynamical simulated annealing and distance geometry. *Eur. J. Biochem.* 175, 9, 1988.
117. **Gronenborn, AM**, Wingfield, PT, McDonald, HR, Schmeissner, U, Clore, GM. Site directed mutants of human interleukin-1 α : a ¹H-NMR and receptor binding study. *FEBS Lett.* 231, 135, 1988.
118. Happ, CS, Happ, E, Clore, GM, **Gronenborn, AM**. Refinement of the solution structure of the RNA-DNA hybrid 5'[r(GCA)d(TGC)]₂: combined use of nuclear magnetic resonance and restrained molecular dynamics. *FEBS Lett.* 236, 62, 1988.
119. Clore, GM, Bax, A, Wingfield, PT, **Gronenborn, AM**. Long range ¹⁵N-¹H correlation as an aid to sequential proton resonance assignment of proteins: application to the DNA binding protein ν from phage Mu. *FEBS Lett.* 238, 17, 1988.
120. Zarbock, J, Gennaro, R, Romeo, D, Clore, GM, **Gronenborn, AM**. A proton nuclear magnetic resonance study of the conformation of bovine anaphylatoxin C5a in solution. *FEBS Lett.* 238, 289, 1988.
121. Nilges, M, Clore, GM, **Gronenborn, AM**. Determination of three-dimensional structures of proteins from interproton distance data by dynamical simulated annealing from a random array of atoms: circumventing problems associated with folding. *FEBS Lett.* 239, 129, 1988.

122. Garin, J, Vignais, PV, **Gronenborn, AM**, Clore, GM, Gao, Z, Baeuerlein, E. ^1H -NMR studies on nucleotide binding to the catalytic sites of bovine mitochondrial F_1 -ATPase. *FEBS Lett.* 242, 178, 1988.
123. **Gronenborn, AM**, Clore, GM. Three-dimensional structures of proteins in solution by nuclear magnetic resonance spectroscopy. *Protein Seq. Data Anal.* 2, 1, 1989.
124. Driscoll, PC, Clore, GM, Beress, L, **Gronenborn, AM**. A proton nuclear magnetic resonance study of the anti-hypertensive and anti-viral protein BDS-I from the sea anemone *Anemonia sulcata*: sequential and stereospecific assignment and secondary structure. *Biochemistry* 28, 2178, 1989.
125. Driscoll, PC, **Gronenborn, AM**, Beress, L, Clore, GM. Determination of the three-dimensional solution structure of the anti-hypertensive and anti-viral protein BDS-I from the sea anemone *Anemonia sulcata*: a study using nuclear magnetic resonance and hybrid distance geometry-dynamical simulated annealing. *Biochemistry* 28, 2188, 1989.
126. Oschkinat, H, Cieslar, C, **Gronenborn, AM**, Clore, GM. Three-dimensional homonuclear Hartmann Hahn-Nuclear Overhauser enhancement spectroscopy in H_2O and its application to proteins. *J. Magn. Reson.* 81, 212, 1989.
127. Folkers, PJM, Clore, GM, Dodt, J, Köhler, S, **Gronenborn, AM**. Solution structure of recombinant hirudin and the Lys47Glu mutant: a nuclear magnetic resonance and hybrid distance geometry-dynamical simulated annealing study. *Biochemistry* 28, 2601, 1989.
128. **Gronenborn, AM**, Bax, A, Wingfield, PT, Clore, GM. A powerful method of sequential proton resonance assignment in proteins using relayed ^{15}N - ^1H multiple quantum coherence spectroscopy. *FEBS Lett.* 243, 93, 1989.
129. Driscoll, PC, **Gronenborn, AM**, Clore, GM. The influence of stereospecific assignments on the determination of three-dimensional structures of proteins by nuclear magnetic resonance spectroscopy: application to the sea anemone protein BDS-I. *FEBS Lett.* 243, 223, 1989.
130. Clore, GM, **Gronenborn, AM**. Determination of three-dimensional structures of proteins and nucleic acids in solution by nuclear magnetic resonance spectroscopy. *Crit. Rev. Biochem. Mol. Biol.* 24, 479, 1989.
131. Wingfield, PT, Graber, P, Shaw, AR, **Gronenborn, AM**, Clore, GM, MacDonald, HR. Preparation, characterization and application of interleukin- 1β mutant proteins with surface-accessible cysteine residues. *Eur. J. Biochem.* 179, 565, 1989.
132. Oschkinat, H, Cieslar, C, Holak, TA, Clore, GM, **Gronenborn, AM**. Practical and theoretical aspects of three-dimensional homonuclear Hartmann Hahn-nuclear Overhauser enhancement spectroscopy of proteins. *J. Magn. Reson.* 83, 450, 1989.
133. **Gronenborn, AM**, Wingfield, PT, Clore, GM. Determination of the secondary structure of the DNA binding protein Ner from phage Mu using ^1H homonuclear and ^{15}N - ^1H heteronuclear NMR spectroscopy. *Biochemistry* 28, 5081, 1989.

134. **Gronenborn, AM**, Clore, GM. Analysis of the relative contributions of the nuclear Overhauser interproton distance restraints and the empirical energy function in the calculation of oligonucleotide structures using restrained molecular dynamics. *Biochemistry* 28, 5978, 1989.
135. Forman-Kay, JD, Clore, GM, Driscoll, PC, Wingfield, PT, Richards, FM, **Gronenborn, AM**. A proton nuclear magnetic resonance assignment and secondary structure determination of recombinant human thioredoxin. *Biochemistry* 28, 7088, 1989.
136. Kraulis, PJ, Clore, GM, Nilges, M, Jones, TA, Pettersson, G, Knowles, J, **Gronenborn, AM**. Determination of the three-dimensional solution structure of the C-terminal domain of cellobiohydrolase I from *Trichoderma reesei*: a study using nuclear magnetic resonance and hybrid distance geometry-dynamical simulated annealing. *Biochemistry* 28, 7241, 1989.
137. Clore, GM, **Gronenborn, AM**. How accurately can interproton distances in macromolecules really be determined by full relaxation matrix analysis of nuclear Overhauser enhancement data? *J. Magn. Reson.* 84, 389, 1989.
138. Marion, D, Driscoll, PC, Kay, LE, Wingfield, PT, Bax, A, **Gronenborn, AM**, Clore, GM. Overcoming the overlap problem in the assignment of ^1H -NMR spectra of larger proteins by use of three-dimensional heteronuclear ^1H - ^{15}N Hartmann-Hahn-multiple quantum coherence and nuclear Overhauser-multiple quantum coherence spectroscopy: application to interleukin 1β . *Biochemistry* 28, 6150, 1989.
139. Clore, GM, Appella, E, Yamada, M, Matsushima, K, **Gronenborn, AM**. Determination of the secondary structure of interleukin-8 by nuclear magnetic resonance spectroscopy. *J. Biol. Chem.* 264, 18907, 1989.
140. Nilges, M, Clore, GM, **Gronenborn, AM**. ^1H -NMR stereospecific assignments by conformational database searches. *Biopolymers* 29, 813, 1989.
141. Appella, E, Matsushima, K, Oppenheim, JJ, Yoshimura, T, Leonard, EJ, Clore, GM, **Gronenborn, AM**. Determination of the primary and secondary structure of NAP-1/IL-8 and a monocyte chemoattractant protein, MCP-1/MCAF. *Prog. Clin. Biol. Res.* 349, 405, 1990.
142. **Gronenborn, AM**, Nilges, M, Peanasky, RJ, Clore, GM. Sequential resonance assignment and secondary structure determination of the *Ascaris* trypsin inhibitor, a member of a novel class of proteinase inhibitors. *Biochemistry* 29, 183, 1990.
143. Forman-Kay, JD, **Gronenborn, AM**, Kay, LE, Wingfield, PT, Clore, GM. Studies on the solution conformation of human thioredoxin using heteronuclear ^{15}N - ^1H nuclear magnetic resonance spectroscopy. *Biochemistry* 29, 1566, 1990.
144. **Gronenborn, AM**, Clore, GM. Protein structure determination in solution by two-dimensional and three-dimensional nuclear magnetic resonance spectroscopy. *Anal. Chem.* 62, 2, 1990.
145. Driscoll, PC, Clore, GM, Marion, D, Wingfield, PT, **Gronenborn, AM**. Complete resonance assignment for the polypeptide backbone of interleukin- 1β using three-dimensional heteronuclear NMR spectroscopy. *Biochemistry* 29, 3542, 1990.

146. Driscoll, PC, **Gronenborn, AM**, Wingfield, PT, Clore, GM. Determination of the secondary structure and molecular topology of interleukin-1 β by use of two- and three-dimensional heteronuclear ^{15}N - ^1H NMR spectroscopy. *Biochemistry* 29, 4668, 1990.
147. Clore, GM, Appella, E, Yamada, M, Matsushima, K, **Gronenborn, AM**. Three-dimensional structure of interleukin-8 in solution. *Biochemistry* 29, 1689, 1990.
148. Bax, A, Clore, GM, Driscoll, PC, **Gronenborn, AM**, Ikura, M, Kay, LE. Practical aspects of proton-carbon-carbon-proton three-dimensional correlation spectroscopy of ^{13}C -labeled proteins. *J. Magn. Reson.* 87, 620, 1990.
149. Bax, A, Clore, GM, **Gronenborn, AM**. ^1H - ^1H correlation via isotropic mixing of ^{13}C magnetization: a new three-dimensional approach for assigning ^1H and ^{13}C spectra of ^{13}C -enriched proteins. *J. Magn. Reson.* 88, 425, 1990.
150. Clore, GM, Szabo, A, Bax, A, Kay, LE, Driscoll, PC, **Gronenborn, AM**. Deviations from the simple two parameter model free approach to the interpretation of ^{15}N nuclear magnetic relaxation of proteins. *J. Am. Chem. Soc.* 112, 5671, 1990.
151. Clore, GM, Driscoll, PC, Wingfield, PT, **Gronenborn, AM**. Low resolution structure of interleukin-1 β in solution derived from ^1H - ^{15}N heteronuclear three-dimensional nuclear magnetic resonance spectroscopy. *J. Mol. Biol.* 214, 811, 1990.
152. Clore, GM, Driscoll, PC, Wingfield, PT, **Gronenborn, AM**. Analysis of backbone dynamics of interleukin-1 β using two-dimensional inverse detected heteronuclear ^{15}N - ^1H NMR spectroscopy. *Biochemistry* 29, 7387, 1990. Erratum in: *Biochemistry* 30(1):312.
153. Clore, GM, Bax, A, Wingfield, PT, **Gronenborn, AM**. Identification and localization of bound internal water in the solution structure of interleukin-1 β by heteronuclear three-dimensional ^1H rotating frame Overhauser ^{15}N - ^1H multiple quantum coherence NMR spectroscopy. *Biochemistry* 29, 5671, 1990.
154. **Gronenborn, AM**, Clore, GM. Determination of ligand conformation in macromolecular complexes using the transferred nuclear Overhauser effect. *Biochem. Pharmacol.* 40, 115, 1990.
155. Clore, GM, Bax, A, Driscoll, PC, Wingfield, PT, **Gronenborn, AM**. Assignment of the side chain ^1H and ^{13}C resonances of interleukin-1 β using double and triple resonance heteronuclear three-dimensional NMR spectroscopy. *Biochemistry* 29, 8172, 1990.
156. Kay, LE, Clore, GM, Bax, A, **Gronenborn, AM**. Four-dimensional heteronuclear triple resonance NMR spectroscopy of interleukin-1 β in solution. *Science* 249, 411-414, 1990.
157. Becerra, SP, Clore, GM, **Gronenborn, AM**, Karlström, A, Stahl, SJ, Wilson, SH, Wingfield, PT. Purification and characterization of the RNase H domain of HIV-1 reverse transcriptase expressed in recombinant *Escherichia coli*. *FEBS Lett.* 270, 76, 1990.
158. Omichinski, J, Clore, GM, Appella, E, Sakaguchi, K, **Gronenborn, AM**. High resolution three-dimensional structure of a single zinc finger from a human enhancer binding protein in solution. *Biochemistry* 29, 9324, 1990.

159. Ikura, M, Bax, A, Clore, GM, **Gronenborn, AM**. Detection of nuclear Overhauser effects between degenerate amide proton resonances by heteronuclear three-dimensional NMR spectroscopy. *J. Am. Chem. Soc.* 112, 9020, 1990.
160. **Gronenborn, AM**, Clore, GM. Protein structure determination in solution using nuclear magnetic resonance spectroscopy. *NIDA Res. Monogr.* 112, 78, 1991.
161. Clore, GM, Kay, LE, Bax, A, **Gronenborn, AM**. Four dimensional $^{13}\text{C}/^{13}\text{C}$ -edited nuclear Overhauser enhancement spectroscopy of a protein in solution: application to interleukin-1 β . *Biochemistry* 30, 12, 1991.
162. Clore, GM, **Gronenborn, AM**. Two, three and four dimensional NMR methods for obtaining larger and more precise three-dimensional structures of proteins in solution. *Ann. Rev. Biophys. Biophys. Chem.* 20, 29, 1991.
163. Forman-Kay, JD, Clore, GM, Wingfield, PT, **Gronenborn, AM**. High resolution three-dimensional structure of reduced recombinant human thioredoxin in solution. *Biochemistry* 30, 2685, 1991.
164. Baldwin, ET, Weber, IT, St. Charles, R, Xuan, JC, Appella, E, Yamada, M, Matsushima, K, Edwards, BFP, Clore, GM, **Gronenborn, AM**, Wlodawer, A. Crystal structure of interleukin-8: symbiosis of NMR and crystallography. *Proc. Natl. Acad. Sci. U.S.A.* 88, 502, 1991.
165. Clore, GM, **Gronenborn, AM**. Comparison of the solution nuclear magnetic resonance and crystal structures of interleukin-8: possible implications for the mechanism of receptor binding. *J. Mol. Biol.* 217, 611, 1991.
166. **Gronenborn, AM**, Clore, GM. Modeling the three-dimensional structure of the monocyte chemoattractant and activating protein MCAF/MCP-1 on the basis of the solution structure of interleukin-8. *Protein Eng.* 4, 263, 1991.
167. Clore, GM, Bax, A, **Gronenborn, AM**. Stereospecific assignment of β -methylene protons in larger proteins using 3D ^{15}N -separated Hartmann-Hahn and ^{13}C -separated rotating frame Overhauser spectroscopy. *J. Biomol. NMR* 1, 13, 1991.
168. Clore, GM, Wingfield, PT, **Gronenborn, AM**. High resolution three dimensional structure of interleukin-1 β in solution by three- and four- dimensional nuclear magnetic resonance spectroscopy. *Biochemistry* 30, 2315, 1991.
169. Clore, GM, **Gronenborn, AM**. Applications of three- and four-dimensional heteronuclear NMR spectroscopy to protein structure determination. *Progr. Nucl. Magn. Reson. Spectrosc.* 23, 43, 1991.
170. Sakaguchi, K, Appella, E, Omichinski, JG, Clore, GM, **Gronenborn, AM**. Specific DNA binding to a major histocompatibility complex enhancer sequence by a synthetic 57-residue double zinc finger peptide from a human enhancer binding protein. *J. Biol. Chem.* 266, 7306, 1991.
171. Clore, GM, Omichinski, JG, **Gronenborn, AM**. Slow conformational dynamics at the metal coordination site of a zinc finger. *J. Am. Chem. Soc.* 113, 4350, 1991.

172. Clore, GM, **Gronenborn, AM**. Structures of larger proteins in solution: three- and four-dimensional heteronuclear NMR spectroscopy. *Science* 252, 1390-1399, 1991.
173. Forman-Kay, JD, **Gronenborn, AM**, Wingfield, PT, Clore, GM. Determination of the positions of bound water in the solution structure of reduced human thioredoxin by heteronuclear three-dimensional nuclear magnetic resonance spectroscopy. *J. Mol. Biol.* 220, 209, 1991.
174. Clore, GM, **Gronenborn, AM**. Comparison of the solution nuclear magnetic resonance and X-ray crystal structures of human recombinant interleukin-1 β . *J. Mol. Biol.* 221, 47, 1991.
175. Powers, R, **Gronenborn, AM**, Clore, GM, Bax, A. Three-dimensional triple resonance NMR of $^{13}\text{C}/^{15}\text{N}$ enriched proteins using constant-time evolution. *J. Magn. Reson.* 94, 209, 1991.
176. **Gronenborn, AM**, Filpula, DR, Essig, NZ, Achari, A, Whitlow, M, Wingfield, PT, Clore, GM. A novel highly stable fold of the immunoglobulin binding domain of Streptococcal protein G. *Science* 253, 657-661, 1991.
177. Powers, R, Clore, GM, Bax, A, Garrett, DS, Stahl, SJ, Wingfield, PT, **Gronenborn, AM**. Secondary structure of the ribonuclease H domain of the human immunodeficiency virus reverse transcriptase in solution using three-dimensional double and triple resonance heteronuclear magnetic resonance spectroscopy. *J. Mol. Biol.* 221, 1081, 1991.
178. Clore, GM, **Gronenborn, AM**. NMR and X-ray analysis of the three-dimensional structure of interleukin-8. *Cytokines* 4, 18, 1992.
179. Garrett, DS, Powers, R, **Gronenborn, AM**, Clore, GM. A common sense approach to peak picking two-, three- and four-dimensional spectra using automatic computer analysis of contour diagrams. *J. Magn. Reson.* 95, 214, 1991. Republished: *J. Magn. Reson.* 213(2):357-63, 2011.
180. Omichinski, JG, Clore, GM, Sakaguchi, K, Appella, E, **Gronenborn, AM**. Structural characterization of a 39-residue synthetic peptide containing the two zinc binding domains from the HIV-1 p7 nucleocapsid protein by CD and NMR spectroscopy. *FEBS Lett.* 292, 25, 1991.
181. **Gronenborn, AM**, Clore, GM. Similarity of Protein G and Ubiquitin. *Science* 254, 581-582, 1991.
182. Clore, GM, **Gronenborn, AM**. Localization of bound water in the solution structure of the immunoglobulin binding domain of Streptococcal protein G: evidence for solvent-induced helical distortions in solution. *J. Mol. Biol.* 223, 853, 1992.
183. Grzesiek, S, Ikura, M, Clore, GM, **Gronenborn, AM**, Bax, A. A 3D triple resonance NMR technique for qualitative measurement of carbonyl-H β J couplings in isotopically enriched proteins. *J. Magn. Reson.* 96, 215, 1992.
184. Omichinski, JG, Clore, GM, Robien, M, Sakaguchi, K, Appella, E, **Gronenborn, AM**. High resolution solution structure of the double Cys $_2$ His $_2$ zinc finger from the human enhancer binding protein MBP-1. *Biochemistry* 31, 3907, 1992.

185. Forman-Kay, JD, Clore, GM, **Gronenborn, AM**. Relationship between electrostatics and redox function in human thioredoxin: characterization of pH titration shifts using two-dimensional homo- and heteronuclear NMR. *Biochemistry* 31, 3442, 1992.
186. Robien, MA, Clore, GM, Omichinski, JG, Perham, RN, Appella, E, Sakaguchi, K, **Gronenborn, AM**. Three-dimensional solution structure of the E3-binding domain of the dihydrolipoamide succinyltransferase core from the 2-oxoglutarate dehydrogenase multienzyme complex of *Escherichia coli*. *Biochemistry* 31, 3463, 1992.
187. Powers, R, Garrett, DS, March, CJ, Frieden, EA, **Gronenborn, AM**, Clore, GM. ^1H , ^{15}N , ^{13}C and ^{13}CO assignments of human interleukin-4 using three-dimensional double and triple resonance heteronuclear magnetic resonance spectroscopy. *Biochemistry* 31, 4334, 1992.
188. Garrett, DS, Powers, R, March, CJ, Frieden, EA, Clore, GM, **Gronenborn, AM**. Determination of the secondary structure and folding topology of human interleukin-4 using three-dimensional heteronuclear magnetic resonance spectroscopy. *Biochemistry* 31, 4347, 1992.
189. Chandrasasekhar, I, Clore, GM, Szabo, A, **Gronenborn, AM**, Brooks, BR. A 500 ps molecular dynamics simulation study of interleukin-1 β in water: correlation with nuclear magnetic resonance spectroscopy and crystallography. *J. Mol. Biol.* 226, 239, 1992.
190. Ikura, M, Clore, GM, **Gronenborn, AM**, Zhu, G, Klee, CB, Bax, A. Solution structure of a calmodulin-target peptide complex by multi-dimensional NMR. *Science* 256, 632, 1992.
191. Powers, R, Garrett, DS, March, CJ, Frieden, EA, **Gronenborn, AM**, Clore, GM. Three-dimensional solution structure of human interleukin-4 by multi-dimensional heteronuclear magnetic resonance spectroscopy. *Science* 256, 1673, 1992.
192. Forman-Kay, JD, Clore, GM, Stahl, SJ, **Gronenborn, AM**. ^1H and ^{15}N resonance assignments and secondary structure of the human thioredoxin C62A, C69A, C73A mutant. *J. Biomol. NMR* 2, 431, 1992.
193. Achari, A, Hale, SP, Howard, AJ, Clore, GM, **Gronenborn, AM**, Hardman, KD, Whitlow, M. 1.67 Å X-ray structure of the B2 immunoglobulin-binding domain of streptococcal protein G and comparison to the NMR structure of the B1 domain. *Biochemistry* 31, 10449, 1992.
194. Shaanan, B, **Gronenborn, AM**, Cohen, GH, Gilliland, GL, Veerapandian, B, Davies, DR, Clore, GM. Combining experimental information from crystal and solution studies: joint X-ray and NMR refinement. *Science* 257, 961, 1992.
195. Rose, K, Simona, MG, Savoy, LA, Regamey, PO, Green, BN, Clore, GM, **Gronenborn, AM**, Wingfield, PT. Pyruvic acid is attached through its central carbon atom to the amino terminus of the recombinant-DNA derived DNA-binding protein Ner of bacteriophage Mu. *J. Biol. Chem.* 267, 19101, 1992.
196. Powers, R, Clore, GM, Stahl, SJ, Wingfield, PT, **Gronenborn, AM**. Analysis of the backbone dynamics of the ribonuclease H domain of the human immunodeficiency virus reverse transcriptase using ^{15}N relaxation measurements. *Biochemistry* 31, 9150, 1992.

197. Omichinski, JG, Trainor, C, Evans, T, **Gronenborn, AM**, Clore, GM, Felsenfeld, G. A small single-'finger' peptide from the erythroid transcription factor GATA-1 binds specifically to DNA as a zinc or iron complex. *Proc. Natl. Acad. Sci. U.S.A.* 90, 1676, 1993.
198. Grasberger, BL, **Gronenborn, AM**, Clore, GM. Analysis of the backbone dynamics of interleukin-8 by ¹⁵N relaxation measurements. *J. Mol. Biol.* 230, 364, 1993.
199. Clore, GM, Robien, MA, **Gronenborn, AM**. Exploring the limits of precision and accuracy of protein structures determined by nuclear magnetic resonance spectroscopy. *J. Mol. Biol.* 231, 82, 1993. Erratum in: *J. Mol. Biol.* 237(2):243.
200. Vuister, GW, Clore, GM, **Gronenborn, AM**, Powers, R, Garrett, DS, Tschudin, R, Bax, A. Increased resolution and improved spectral quality in four-dimensional ¹³C/¹³C separated HMQC-NOE-HMQC spectra using pulsed field gradients. *J. Magn. Reson. Series B* 101, 210, 1993.
201. Sakaguchi, K, Zambrano, N, Baldwin, ET, Shapiro, BA, Erickson, JW, Omichinski, JG, Clore, GM, **Gronenborn, AM**, Appella, E. Identification of a binding site for the human immunodeficiency virus type I nucleocapsid protein. *Proc. Natl. Acad. Sci. U.S.A.* 90, 5219, 1993.
202. Varley, P, **Gronenborn, AM**, Christensen, H, Wingfield, PT, Pain, RH, Clore, GM. Kinetics of folding of the all β -sheet protein interleukin-1 β . *Science* 240, 1110, 1993.
203. Powers, R, Clore, GM, Garrett, DS, **Gronenborn, AM**. Relationships between the precision of high resolution protein NMR structures, solution order parameters and crystallographic B factors. *J. Magn. Reson. Series B* 101, 325-327, 1993.
204. **Gronenborn, AM**, Clore, GM. Structural studies of immunoglobulin binding domains of Streptococcal Protein G. *ImmunoMethods* 2, 3-8, 1993.
205. Powers, R, Garrett, DS, March, CJ, Frieden, EA, **Gronenborn, AM**, Clore, GM. The high-resolution, three-dimensional solution structure of human interleukin-4 determined by multi-dimensional heteronuclear magnetic resonance spectroscopy. *Biochemistry* 32, 6744, 1993.
206. **Gronenborn, AM**, Clore, GM. Identification of the contact surface of a Streptococcal protein G domain complexed with a human Fc fragment. *J. Mol. Biol.* 233, 331, 1993.
207. Clore, GM, **Gronenborn, AM**. Structural studies of interleukin-1 β , interleukin-4 and interleukin-8. *ImmunoMethods* 3, 56-81, 1993.
208. Brünger, AT, Clore, GM, **Gronenborn, AM**, Saffrich, R, Nilges, M. Assessing the quality of solution nuclear magnetic resonance structures by complete cross-validation. *Science* 261, 328, 1993.
209. Omichinski, JG, Clore, GM, Schaad, O, Felsenfeld, G, Trainor, C, Appella, E, Stahl, SJ, **Gronenborn, AM**. NMR structure of a specific DNA complex of Zn-containing DNA binding domain of GATA-1. *Science* 261, 438-446, 1993.
210. Clore, GM, Bax, A, Ikura, M, **Gronenborn, AM**. Structure of calmodulin-target peptide complexes. *Curr. Opin. Struct. Biol.* 3, 838-845, 1993.

211. Bax, A, Grzesiek, S, **Gronenborn, AM**, Clore, GM. Isotope-filtered 2D HOHAHA spectroscopy of a peptide-protein complex using heteronuclear Hartmann-Hahn dephasing. *J. Magn. Reson.* 106 Series A, 269-273, 1994.
212. **Gronenborn, AM**, Clore, GM. Experimental support for the "hydrophobic zipper" hypothesis. *Science* 263, 536, 1994.
213. Barchi, JJ, Grasberger, B, **Gronenborn, AM**, Clore, GM. Investigation of the backbone dynamics of the IgG-binding domain of Streptococcal Protein G by heteronuclear two-dimensional ^1H - ^{15}N nuclear magnetic resonance spectroscopy. *Protein Sci.* 3, 15-21, 1994.
214. Clore, GM, Bax, A, Omichinski, JG, **Gronenborn, AM**. Localization of bound water in the solution structure of a complex of the erythroid transcription factor GATA-1 with DNA. *Structure* 2, 89-94, 1994.
215. Clubb, RT, Omichinski, JG, Clore, GM, **Gronenborn, AM**. Mapping the binding surface of interleukin-8 complexed with an N-terminal fragment of the type I human interleukin-8 receptor. *FEBS Lett.* 338, 93-97, 1994.
216. Garrett, DS, Lodi, PJ, Shamoo, Y, Williams, KR, Clore, GM, **Gronenborn, AM**. Determination of the secondary structure and folding topology of an RNA binding domain of the mammalian hnRNP A1 protein using three-dimensional heteronuclear magnetic resonance spectroscopy. *Biochemistry* 33, 2852-2858, 1994.
217. Rozwarski, DA, **Gronenborn, AM**, Clore, GM, Bazan, JF, Bohm, A, Wlodawer, A, Hatada, M, Karplus, PA. Structural comparisons among the short-chain helical cytokines. *Structure* 2, 159-173, 1994.
218. Lodi, PJ, Garrett, DS, Kuszewski, J, Tsang, MLS, Weatherbee, JA, Leonard, WJ, **Gronenborn, AM**, Clore, GM. High-resolution structure of the β chemokine hMIP-1 β by multi-dimensional NMR. *Science* 263, 1762-1767, 1994.
219. Garrett, DS, Kuszewski, J, Hancock, TJ, Lodi, PJ, Vuister, GW, **Gronenborn, AM**, Clore, GM. The impact of direct refinement against three-bond HN-C $^{\alpha}$ H coupling constants on protein structure determination by NMR. *J. Magn. Reson. Series B* 104, 99-103, 1994.
220. **Gronenborn, AM**, Clore, GM. Identification of N-terminal helix capping boxes by means of ^{13}C chemical shifts. *J. Biomol. NMR* 4, 455-458, 1994.
221. Smith, LJ, Redfield, C, Smith, RAG, Dobson, CM, Clore, GM, **Gronenborn, AM**, Walter, MR, Naganbushan, TL, Wlodawer, A. Comparison of four independently determined structures of human recombinant interleukin-4. *Nat. Struct. Biol.* 1, 301-310, 1994.
222. Werner, MH, Clore, GM, **Gronenborn, AM**, Kondoh, A, Fisher, RJ. Refolding proteins by gel filtration chromatography. *FEBS Lett.* 345, 125-130, 1994.
223. Qin, J, Clore, GM, **Gronenborn, AM**. The high resolution three-dimensional solution structures of the oxidized and reduced states of human thioredoxin. *Structure* 2, 503-522, 1994.

224. Werner, MW, Clore, GM, **Gronenborn, AM**, Nash, HA. Symmetry and asymmetry in the function of Escherichia coli integration host factor: implications for target identification by DNA-binding proteins. *Curr. Biol.* 4, 477-487, 1994.
225. Grasberger, BL, Clore, GM, **Gronenborn, AM**. High-resolution structure of *Ascaris* trypsin inhibitor in solution: direct evidence for a pH-induced conformational transition in the reactive site. *Structure* 2, 669-678, 1994.
226. Makhatadze, GI, Clore, GM, **Gronenborn, AM**, Privalov, PL. Thermodynamics of unfolding of the all β -sheet protein interleukin-1 β . *Biochemistry* 33, 9327-9332, 1994.
227. **Gronenborn, AM**, Clore, GM. Where is NMR taking us? *Proteins*. 19, 273-276, 1994.
228. Clore, GM, Omichinski, JG, Sakaguchi, K, Zambrano, N, Sakamoto, H, Appella, E, **Gronenborn, AM**. High-resolution structure of the oligomerization domain of p53 by multi-dimensional NMR. *Science* 265, 386-391, 1994. Erratum in: *Science* 267(5203):1515-6.
229. Wang, AC, Lodi, PJ, Qin, J, Vuister, GW, **Gronenborn, AM**, Clore, GM. An efficient triple-resonance experiment for proton-directed sequential backbone assignment of medium-sized proteins. *J. Magn. Reson. Series B* 105, 196-198, 1994.
230. Covell, DG, Smythers, GW, **Gronenborn, AM**, Clore, GM. Analysis of hydrophobicity in the α and β chemokine families and its relevance to dimerization. *Protein Sci.* 3, 2064-2072, 1994.
231. Kuszewski, J, Clore, GM, **Gronenborn, AM**. Fast folding of a prototypic polypeptide: the immunoglobulin binding domain of Streptococcal Protein G. *Protein Sci.* 3, 1945-1952, 1994.
232. Clubb, RT, Omichinski, JG, Savilahti, H, Mizuuchi, K, **Gronenborn, AM**, Clore, GM. A novel class of winged helix-turn-helix protein; the DNA binding domain of Mu transposase. *Structure* 2, 1041-1048, 1994.
233. Clore, GM, **Gronenborn, AM**. Three-dimensional structures of α and β chemokines. *FASEB J.* 9, 57-62, 1995.
234. Kuszewski, J, Qin, J, **Gronenborn, AM**, Clore, GM. The impact of direct refinement against $^{13}\text{C}\alpha$ and $^{13}\text{C}\beta$ chemical shifts on protein structure determination by NMR. *J. Magn. Reson. Series B* 106, 92-96, 1995.
235. Ernst, JA, Clubb, RT, Zhou, H-X, **Gronenborn, AM**, Clore, GM. Demonstration of positionally disordered water within a protein hydrophobic cavity by NMR. *Science* 267, 1813-1817, 1995.
236. Clore, GM, Omichinski, JG, Sakaguchi, K, Zambrano, N, Sakamoto, H, Appella, E, **Gronenborn, AM**. Interhelical angles in the solution structure of the oligomerization domain of p53. *Science* 267, 1515-1516, 1995.
237. Strzelecka, TE, Hayes, JJ, Clore, GM, **Gronenborn, AM**. DNA binding specificity of the Mu Ner protein. *Biochemistry* 34, 2946-2955, 1995.

238. Qin, J, Clore, GM, Kennedy, WMP, Huth, JR, **Gronenborn, AM**. Solution structure of human thioredoxin in a mixed disulfide intermediate complex with its target peptide from the transcription factor NF κ B. *Structure* 3, 289-297, 1995.
239. Clore, GM, Ernst, J, Clubb, R, Omichinski, JG, Kennedy WM, Sakaguchi, K, Appella, E, **Gronenborn, AM**. Refined solution structure of the oligomerization domain of the tumour suppressor p53. *Nat. Struct. Biol.* 2, 321-332, 1995.
240. Clubb, RT, Omichinski, JG, Sakaguchi, K, Appella, E, **Gronenborn, AM**, Clore, GM. Backbone dynamics of the oligomerization domain of p53 determined from ^{15}N NMR relaxation measurements. *Protein Sci.* 4, 855-862, 1995.
241. Kuszewski, J, **Gronenborn, AM**, Clore, GM. The impact of direct refinement against proton chemical shifts on protein structure determination by NMR. *J. Magn. Reson. Series B* 107, 293-297, 1995.
242. Werner, MH, Huth, JR, **Gronenborn, AM**, Clore, GM. Molecular basis of human 46X,Y sex reversal revealed from the three-dimensional solution structure of the human SRY-DNA complex. *Cell* 81, 705-714, 1995.
243. Balagurumoorthy, P, Sakamoto, K, Lewis, MS, Zambrano, N, Clore, GM, **Gronenborn, AM**, Appella, E, Harrington, RE. Four p53 DNA binding domain peptides bind natural p53 response elements and bend the DNA. *Proc. Natl. Acad. Sci. U.S.A.* 92, 8591-8595, 1995.
244. Lodi, PJ, Ernst, JA, Kuszewski, J, Hickman, AB, Engelman, A, Craigie, R, Clore, GM, **Gronenborn, AM**. Solution structure of the DNA binding domain of HIV-1 integrase. *Biochemistry* 34, 9826-9833, 1995.
245. Makhatadze, GI, Clore, GM, **Gronenborn, AM**. Solvent isotope effect and protein stability. *Nat. Struct. Biol.* 2, 852-855, 1995.
246. Werner, MH, Bianchi, ME, **Gronenborn, AM**, Clore, GM. NMR spectroscopic analysis of the DNA conformation induced by the human testis determining factor SRY. *Biochemistry* 34, 11998-12004, 1995.
247. Strzelecka, TE, Clore, GM, **Gronenborn, AM**. The solution structure of the Mu Ner protein reveals a helix-turn-helix DNA recognition motif. *Structure* 3, 1087-1095, 1995.
248. **Gronenborn, AM**, Clore, GM. Structures of protein complexes by multidimensional heteronuclear magnetic resonance spectroscopy. *Crit. Rev. Biochem. Mol. Biol.* 30, 351-385, 1995.
249. Frank, MK, Clore, GM, **Gronenborn, AM**. Structural and dynamic characterization of the urea denatured state of the immunoglobulin binding domain of Streptococcal protein G by multidimensional heteronuclear NMR spectroscopy. *Protein Sci.* 4, 2605-2615, 1996.
250. Clubb, RT, Mizuuchi, M, Huth, JR, Omichinski, JG, Savilahti, H, Mizuuchi, K, Clore, GM, **Gronenborn, AM**. The wing of the enhancer binding domain of Mu phage transposase is flexible and is essential for efficient transposition. *Proc. Natl. Acad. Sci. U.S.A.* 93, 1146-1150, 1996.

251. Qin, J, Clore, GM, **Gronenborn, AM**. Ionization equilibria for the side chain carboxyl groups in oxidized and reduced human thioredoxin and in the complex with its target peptide from the transcription factor NFκB. *Biochemistry* 35, 7-13, 1996.
252. **Gronenborn, AM**, Clore, GM. Rapid screening for structural integrity of expressed proteins by heteronuclear NMR spectroscopy. *Protein Sci.* 5, 174-177, 1996. Erratum in: *Protein Sci.* 5(5):981.
253. Pedone, PV, Ghirlando, R, Clore, GM, **Gronenborn, AM**, Felsenfeld, G, Omichinski, JG. The single Cys₂-His₂ zinc finger domain of the GAGA protein flanked by basic residues is sufficient for high affinity specific DNA binding. *Proc. Natl. Acad. Sci. U.S.A.* 93, 2822-2826, 1996. Erratum in: *Proc. Natl. Acad. Sci. U S A.* 93(13):6846, PMC39717.
254. Werner, MH, **Gronenborn, AM**, Clore, GM. Intercalation, DNA kinking and the control of transcription. *Science* 271, 778-784, 1996. Erratum in: *Science* 276(5321):1957.
255. Clore, GM, **Gronenborn, AM**. Structures of larger proteins, protein-ligand and protein-DNA complexes by multi-dimensional heteronuclear NMR. *Protein Sci.* 3, 372-390, 1994; *Progr. Biophys. Mol. Biol.* 62, 153-184, 1994; *Encyclopedia of Nuclear Magnetic Resonance*, vol. 7, pp. 4602-4622, (eds. Grant, D.M., Harris, R.K.), John Wiley, Sons, New York, 1996.
256. Clore, GM, **Gronenborn, AM**. Multidimensional heteronuclear nuclear magnetic resonance of proteins. *Meth. Enzymol.* 239, 349-363 (1994) *Spectroscopy* 10, 32-38 (1995) *Encyclopedia of Nuclear Magnetic Resonance*, vol. 7, pp 4744-4752, (eds. Grant, D.M., Harris, R.K.), John Wiley, Sons, New York, 1996.
257. Grzesiek, S, Bax, A, Clore, GM, **Gronenborn, AM**, Hu, J-H, Kaufman, J, Palmer, I, Stahl, SJ, Wingfield, PT. The solution structure of HIV-1 Nef reveals an unexpected fold and permits delineation of the binding surface for the SH3 domain of Hck tyrosine protein kinase. *Nat. Struct. Biol.* 3, 340-345, 1996.
258. Trainor, CD, Omichinski, JG, Vandergon, TL, **Gronenborn, AM**, Clore, GM, Felsenfeld, G. A palindromic regulatory site within vertebrate GATA-1 promoters requires both zinc fingers of the GATA-1 DNA binding domain for high affinity interaction. *Mol. Cell. Biol.* 16, 2238-2247, 1996.
259. Qin, J, Clore, GM, Kennedy WP, Kuszewski, J, **Gronenborn, AM**. The solution structure of human thioredoxin complexed with its target from Ref-1 reveals peptide chain reversal. *Structure* 4, 613-620, 1996.
260. Kuszewski, J, **Gronenborn, AM**, Clore, GM. Improving the quality of NMR and crystallographic protein structures by means of a conformational database potential derived from structure databases. *Protein Sci.* 5, 1067-1080, 1996.
261. Werner, MH, Huth, JR, **Gronenborn, AM**, Clore, GM. Molecular determinants of mammalian sex. *Trends Biochem. Sci.* 21, 302-308, 1996.
262. Kuszewski, J, **Gronenborn, AM**, Clore, GM. A potential involving multiple proton chemical shift restraints for non-stereospecifically assigned methyl and methylene protons. *J. Magn. Reson. Series B* 112, 79-81, 1996.
263. **Gronenborn, AM**, Frank, MK, Clore, GM. Core mutants of the immunoglobulin binding domain of Streptococcal protein G: stability and structural integrity. *FEBS Lett.* 398, 312-316, 1996.

264. Miller, M, Lubkowski, J, Rao, MJK, Danishefsky, AT, Omichinski, JG, Sakaguchi, K, Sakamoto, H, Appella, E, **Gronenborn, AM**, Clore, GM. The oligomerization domain of p53: crystal structure of the trigonal form. *FEBS Lett.* 399, 166-170, 1996.
265. Clore, GM, **Gronenborn, AM**. Dissecting intrinsic chaperonin activity. *Proc. Natl. Acad. Sci. U.S.A.* 94, 7-8, 1997.
266. Omichinski, JG, Pedone, PV, Felsenfeld, G, **Gronenborn, AM**, Clore, GM. The solution structure of a specific GAGA factor/DNA complex reveals a modular binding mode. *Nat. Struct. Biol.* 4, 122-132, 1997.
267. Garrett, DS, Seok, YJ, Liao, DI, Peterkofsky, A, **Gronenborn, AM**, Clore, GM. Solution structure of the 30 kDa N-terminal domain of Enzyme I of the *Escherichia coli* phosphoenolpyruvate: sugar phosphotransferase system by multidimensional NMR. *Biochemistry* 36, 2517-2530, 1997.
268. Kuszewski, J, **Gronenborn, AM**, Clore, GM. Improvements and extensions in the conformational database potential for the refinement of NMR and X-ray structures of proteins and nucleic acids. *J. Magn. Reson.* 125, 171-177, 1997.
269. Pedone, PV, Omichinski, JG, Nony, P, Trainor, C, **Gronenborn, AM**, Clore, GM, Felsenfeld, G. The N-terminal fingers of chicken GATA-2 and GATA-3 are independent sequence-specific DNA binding domains. *EMBO J.* 16, 2874-2882, 1997.
270. Garrett, DS, Seok, YJ, Peterkofsky, A, Clore, GM, **Gronenborn, AM**. Identification by NMR of the binding surface for the histidine-containing phosphocarrier protein HPr on the N-terminal domain of enzyme I of the *Escherichia coli* phosphotransferase system. *Biochemistry* 36, 4393-4398, 1997.
271. **Gronenborn, AM**, Clore, GM. Water in and around proteins. *The Biochemist* 19 (3), 18-21, 1997.
272. Tjandra, N, Garrett, DS, **Gronenborn, AM**, Bax, A, Clore, GM. Defining long range order in NMR structure determination from the dependence of heteronuclear relaxation times on rotational diffusion anisotropy. *Nat. Struct. Biol.* 4, 443-449, 1997.
273. Nagaich, AK, Zhurkin, VB, Sakamoto, H, Gorin, AA, Clore, GM, **Gronenborn, AM**, Appella, E, Harrington, RE. Architectural accommodation in the complex of four p53 DNA binding domain peptides with the *p21/Waf1/Cip1* DNA response element. *J. Biol. Chem.* 272, 14830-14841, 1997.
274. Wingfield, PT, Stahl, SJ, Kaufman, J, Zlotnick, A, Hyde, CC, **Gronenborn, AM**, Clore, GM. The extracellular domain of immunodeficiency virus gp41 protein: expression in *Escherichia coli*, purification and crystallization. *Protein Sci.* 6, 1653-1660, 1997.
275. Cai, M, Zheng, R, Caffrey, M, Craigie, R, Clore, GM, **Gronenborn, AM**. Solution structure of the N-terminal zinc binding domain of HIV-1 integrase. *Nat. Struct. Biol.* 4, 567-577, 1997. Erratum in: *Nat. Struct. Biol.* 4(10):839-40.
276. Tjandra, N, Omichinski, JG, **Gronenborn, AM**, Clore, GM, Bax, A. Use of dipolar ^1H - ^{15}N and ^1H - ^{13}C couplings in the structure determination of magnetically oriented macromolecules in solution. *Nat. Struct. Biol.* 4, 732-738, 1997.

277. Werner, MH, Clore, GM, Fisher, CL, Fisher, RJ, Trinh, L, Shiloach, J, **Gronenborn, AM**. The solution structure of the human ETS1/DNA complex reveals a novel mode of binding and true sidechain intercalation. *Cell* 83, 761-771, 1995; Erratum *Cell* 87, issue 2 (1996). Correction of the NMR structure of the ETS1/DNA complex. *J. Biomol. NMR* 10, 317-328 (1997). Werner MH, Gronenborn AM, Clore GM. ETS1-DNA binding and intercalation: correction. *Science* 276(5321):1957.
278. Huth, JR, Bewley, CA, Nissen, MS, Evans, JNS, Reeves, R, **Gronenborn, AM**, Clore, GM. The solution structure of an HMG-I(Y)/DNA complex defines a new architectural minor groove binding motif. *Nat. Struct. Biol.* 4, 657-665, 1997.
279. Caffrey, M, Cai, M, Kaufman, J, Stahl, SJ, Wingfield, PT, **Gronenborn, AM**, Clore, GM. Determination of the secondary structure and global topology of the 44 kDa ectodomain of gp41 of the simian immunodeficiency virus by multidimensional nuclear magnetic resonance spectroscopy. *J. Mol. Biol.* 271, 819-826, 1997.
280. Clore GM, Gronenborn AM. NMR structures of proteins and protein complexes beyond 20,000 M(r). *Nat. Struct. Biol.* 4 Suppl:849-53, 1997.
281. Clubb, RT, Schumacher, S, Mizuuchi, K, **Gronenborn, AM**, Clore, GM. Solution structure of the I γ subdomain of the Mu end DNA binding domain of Mu phage transposase. *J. Mol. Biol.* 273, 19-25, 1997.
282. Huth, JR, Bewley, CA, Jackson, BM, Hinnebusch, AG, Clore, GM, **Gronenborn, AM**. Design of an expression system for detecting folded protein domains and mapping macromolecular interactions by NMR. *Protein Sci.* 6, 2359-2364, 1997.
283. Schumacher, S, Clubb, RT, Cai, M, Mizuuchi, K, Clore, GM, **Gronenborn, AM**. Solution structure of the Mu end DNA binding I β subdomain of phage Mu transposase: modular DNA recognition by two tethered domains. *EMBO J.* 16, 7532-7541, 1997.
284. Clore, GM, **Gronenborn, AM**. Determining the structures of large proteins and protein complexes by NMR. *Trends Biotechnol.* 16, 22-34, 1997.
285. Bewley, CA, **Gronenborn, AM**, Clore, GM. Minor-groove binding architectural proteins: structure, function and DNA recognition. *Annu. Rev. Biophys. Biomol. Struct.* 27, 105-131, 1998.
286. Cai, M, Huang, Y, Sakaguchi, K, Clore, GM, **Gronenborn, AM**, Craigie, R. An efficient and cost-effective isotope labeling protocol for proteins expressed in *Escherichia coli*. *J. Biomol. NMR* 11, 97-102, 1998.
287. Louis, JM, Martin, R, Clore, GM, **Gronenborn, AM**. Preparation of uniformly isotope-labeled DNA oligonucleotides for NMR spectroscopy. *J. Biol. Chem.* 273, 2374-2378, 1998.
288. Clore, GM, **Gronenborn, AM**. New methods of structure refinement for macromolecular structure determination by NMR. *Proc. Natl. Acad. Sci. U.S.A.* 95, 5891-5898, 1998.
289. Clore, GM, **Gronenborn, AM**, Tjandra, N. Direct structure refinement against residual dipolar couplings in the presence of rhombicity of unknown magnitude. *J. Magn. Reson.* 131, 159-162, 1998.

290. Garrett, DS, Seok, Y-J, Peterkofsky, A, Clore, GM, **Gronenborn, AM**. Tautomeric state and pK_a of the phosphorylated active site histidine in the N-terminal domain of Enzyme I of the Escherichia coli phosphoenolpyruvate:sugar phosphotransferase system. *Protein Sci.* 7, 789-793, 1998.
291. Starich, MR, Wikström, M, Arst, HN, Clore, GM, **Gronenborn, AM**. The solution structure of a fungal AREA protein-DNA complex: an alternative binding mode for the basic carboxyl tail of GATA factors. *J. Mol. Biol.* 277, 605-620, 1998.
292. Starich, MR, Wikström, M, Schumacher, S, Arst, HN, **Gronenborn, AM**, Clore, GM. The solution structure of the Leu22→Val mutant AREA DNA binding domain complexed with a TGATAG core element defines a role for hydrophobic packing in the determination of specificity. *J. Mol. Biol.* 277, 621-634, 1998.
293. Clore, GM, **Gronenborn, AM**, Bax, A. A robust method for determining the magnitude of the fully asymmetric alignment tensor of oriented macromolecules in the absence of structural information. *J. Magn. Reson.* 133, 216-221, 1998.
294. Clore, GM, **Gronenborn, AM**, Szabo, A, Tjandra, N. Determining the magnitude of the fully asymmetric diffusion tensor from heteronuclear relaxation data in the absence of structural information. *J. Am. Chem. Soc.* 120, 4889-4890, 1998.
295. Clore, GM, Murphy, EC, **Gronenborn, AM**, Bax, A. Determination of three-bond $^1H3'-^{31}P$ couplings in nucleic acids and protein-nucleic acid complexes by quantitative J correlation spectroscopy. *J. Magn. Reson.* 134, 164-167, 1998.
296. Bewley, CA, Gustafson, KR, Boyd, MR, Covell, DG, Bax, A, Clore, GM, **Gronenborn, AM**. Solution structure of cyanovirin-N, a potent HIV-inactivating protein. *Nat. Struct. Biol.* 5, 571-578, 1998.
297. Caffrey, M, Cai, M, Kaufman, J, Stahl, SJ, Wingfield, PT, Covell, DG, **Gronenborn, AM**, Clore, GM. Three-dimensional solution structure of the 44 kDa ectodomain of SIV gp41. *EMBO J.* 17, 4572-4584, 1998.
298. Cai, M, Huang, Y, Zheng, R, Wei, S-Q, Ghirlando, R, Lee, MS, Craigie, R, **Gronenborn, AM**, Clore, GM. Solution structure of the cellular factor BAF responsible for protecting retroviral DNA from autointegration. *Nat. Struct. Biol.* 5, 903-909, 1998.
299. Cai, M, Huang, Y, Caffrey, M, Zheng, R, Craigie, R, Clore, GM, **Gronenborn, AM**. Solution structure of the His12→Cys mutant of the N-terminal zinc binding domain of HIV-1 integrase complexed to cadmium. *Protein Sci.* 7, 2669-2674, 1998.
300. Clore, GM, Starich, MR, **Gronenborn, AM**. Measurement of residual dipolar couplings of macromolecules aligned in the nematic phase of a colloidal suspension of rod-shaped viruses. *J. Am. Chem. Soc.* 120, 10571-10572, 1998.
301. Caffrey, M, Kaufman, J, Stahl, SJ, Wingfield, PT, **Gronenborn, AM**, Clore, GM. 3D NMR experiments for measuring ^{15}N relaxation data of large proteins: application to the 44 kDa ectodomain of SIV gp41. *J. Magn. Reson.* 135, 368-372, 1998.

302. Yu, B, Blaber, M, **Gronenborn, AM**, Clore, GM, Caspar, D.D. Disordered water within a hydrophobic protein cavity visualized by x-ray crystallography. *Proc Natl Acad Sci U S A.* 96(1),103-108, 1999.
303. **Gronenborn, AM**, Clore, GM, Louis, JM, Wingfield, PT. Is human thioredoxin monomeric or dimeric? *Protein Sci.* 8, 426, 1999.
304. Garrett, D, S, Seok, Y-J, Peterkofsky, A, **Gronenborn, AM**, Clore, GM. Solution structure of the 40,000 Mr phosphoryl transfer complex between the N-terminal domain of enzyme I and HPr. *Nat. Struct. Biol.* 6, 166 - 173, 1999.
305. Kuszewski, J, **Gronenborn, AM**, Clore, GM. Improving the packing and accuracy of NMR structures with a pseudopotential for the radius of gyration. *J. Am. Chem. Soc.* 121, 2337-2338, 1999.
306. Clore, GM, **Gronenborn, AM**. NMR structure determination of proteins and protein complexes larger than 20 kDa. *Curr. Opin. Chem. Biol.* 2(5): 564-570, 1998.
307. Yang, F, Bewley, CA, Louis, JM, Gustafson, KR, Boyd, MR, **Gronenborn, AM**, Clore, GM, Wlodawer, A. Crystal Structure of cyanovirin-N, a potent HIV-inactivating protein, shows unexpected domain swapping. *J. Mol. Biol.* 288, 403-412, 1999.
308. Cornilescu, G, Ramirez, BE, Frank, MK, Clore, GM, **Gronenborn, AM**, Bax, A. Correlation between $^{31}\text{J}_{\text{NC}}$ and hydrogen bond length in proteins. *J. Am. Chem. Soc.* 121, 6275-6279, 1999.
309. Caffrey, M, Kaufman, J, Stahl, SJ, Wingfield, PT, **Gronenborn, AM**, Clore, GM. Monomer-trimer equilibrium of the ectodomain of SIV gp41 ectodomain: insight into the mechanism of peptide inhibition of HIV infection. *Protein Sci.* 8, 1904-1907, 1999.
310. Louis, JM, Clore, GM, **Gronenborn, AM**. Autoprocessing of HIV-1 protease is tightly coupled to protein folding. *Nat. Struct. Biol.* 6, 868-875, 1999.
311. Castagne, C, Murphy, EC, **Gronenborn, AM**, Delepierre, M. ^{31}P NMR analysis of the DNA conformation induced by protein binding: SRY-DNA complexes. *Eur. J. Biochem.* 207, 1223-1229, 2000.
312. Barrientos, LG, Dolan, C, **Gronenborn, AM**. Characterization of surfactant liquid crystal phases suitable for molecular alignment and measurement of dipolar couplings. *J. Biomol. NMR* 16, 329-337, 2000.
313. Gakh, YG, Gakh, AA, **Gronenborn, AM**. Fluorine as a NMR probe for structural studies of chemical and biological systems. *Magn. Reson. Chem.* 38, 551-558, 2000.
314. Tcherkasskaya, O, Bychkova, VE, Uversky, VN, **Gronenborn, AM**. Multi-site fluorescence in proteins with multiple tryptophan residues: Apomyoglobin natural variants and site directed mutants. *J. Biol. Chem.* 275, 36285-36294, 2000.
315. Tcherkasskaya, O, Knutson, JR, Bowley, SA, Frank, MK, **Gronenborn, AM**. Nanosecond dynamics of the single tryptophan reveals multi-state equilibrium unfolding of protein GB1. *Biochemistry* 39, 11216-11226, 2000.
316. Qin, J, Yang, Y, Velyvis, A, **Gronenborn, AM**. Molecular views of redox-regulation: three dimensional structures of redox regulatory proteins and protein complexes. *Antioxid. Redox. Signal.* 2, 827-840, 2000.

317. Louis, JM, Weber, IT, Tözsér, J, Clore, GM, **Gronenborn, AM**. HIV-1 Protease: Maturation, enzyme specificity and drug resistance. *Adv. Pharmacol.* 49, 111-146, 2000.
318. Li, H, Yamada, H, Akasaka, K, **Gronenborn, AM**. Pressure alters electronic orbital overlap in hydrogen bonds. *J. Biomol. NMR* 18, 207-216, 2000.
319. Qin, J, Vinogradova, O, **Gronenborn, AM**. Protein-protein interactions probed by nuclear magnetic resonance spectroscopy. *Meth. Enzymol.* 339, 377-389, 2001.
320. **Gronenborn, AM**. Exploiting magnetic field induced alignment: Residual dipolar couplings for NMR structure determination. *NATO ASI Series; Dynamics, Structure and Function of Biological Macromolecules* 315, 107-116, 2001.
321. Barrientos, LG, Campos-Olivas, R, Louis, JM, Fiser, A, Sali, A, **Gronenborn, AM**. ^1H , ^{13}C , ^{15}N resonance assignments and fold verification of a circular permuted variant of the potent HIV-inactivating protein cyanovirin-N. *J. Biomol. NMR* 19, 289-290, 2001.
322. Barrientos, LG, Louis, JM, **Gronenborn, AM**. Characterization of the cholesteric phase of filamentous bacteriophage fd for molecular alignment. *J. Magn. Reson.* 149, 154-158, 2001.
323. Campos-Olivas, R, Hörr, I, Bormann, C, Jung, G, **Gronenborn, AM**. Solution structure, backbone dynamics and chitin binding of the anti-fungal protein from *Streptomyces Tendae TÛ901*. *J. Mol. Biol.* 308, 765-782, 2001.
324. Louis, JM, Georgescu, R, Tasayco, M-L, Tcherkasskaya, O, **Gronenborn, AM**. Probing the structure and stability of a hybrid protein: The human – *E.coli* thioredoxin chimera. *Biochemistry* 40, 11184-11192, 2001.
325. Dangi, B, Pelupessey, P, Martin, RG, Rosner, JL, Louis, JM, **Gronenborn, AM**. Structure and dynamics of MarA-DNA complexes: An NMR investigation. *J. Mol. Biol.* 314, 113-127, 2001.
326. Ishima, R, Ghirlando, R, Tozser, J, **Gronenborn, AM**, Torchia, DA, Louis, JM. Folded monomer of HIV-1 protease. *J. Biol. Chem.* 276 (52), 49110-49116, 2001.
327. Tcherkasskaya, O, Klushin, L, **Gronenborn, AM**. Effective lattice behavior of fluorescence energy transfer at lamellar macromolecular interfaces. *Biophys. J.* 82, 988-995, 2002.
328. Tcherkasskaya, O, **Gronenborn, AM**, Klushin, L. Excluded volume effect within the continuous model for the fluorescence energy transfer. *Biophys. J.* 83, 2826-2834, 2002.
329. Barrientos, LG, Louis, JM, Hung, J, Smith, TH, O'Keefe, BR, Gardella, RS, Mori, T, Boyd, MR, **Gronenborn, AM**. Design and initial characterization of a circular permuted variant of the potent HIV-inactivating protein cyanovirin-N. *Proteins* 46, 153-60, 2002.
330. Frank, MK, Dyda, F, Dobrodumov, A, **Gronenborn, AM**. Core mutations switch monomeric protein GB1 into an intertwined tetramer. *Nat. Struct. Biol.* 9(11): 877-885, 2002.
331. Rosner, JL, Dangi, B, **Gronenborn, AM**, Martin, RG. Posttranscriptional activation of the transcriptional activator Rob by dipyrindyl in *Escherichia coli*. *J. Bacteriol.* 184, 1407-1416, 2002.

332. Barrientos, LG, Louis, JM, Botos, I, Mori, T, Han, Z, O'Keefe, BR, Boyd, MR, Wlodawer, A, **Gronenborn, AM**. The domain-swapped dimer of Cyanovirin-N is in a metastable folded state. Reconciliation of X-ray and NMR structures. *Structure* 10, 673-686, 2002.
333. Ding, K, **Gronenborn, AM**. Novel 2D triple-resonance NMR experiments for sequential resonance assignments of proteins. *J. Magn. Reson.* 156, 262-268, 2002.
334. Campos-Olivas, R, Aziz, R, Helms, GR, Evans, JNS, **Gronenborn, AM**. Placement of ^{19}F into the center of GB1: Effects on structure and stability. *FEBS Lett.* 517, 55-60, 2002.
335. Barrientos, LG, Gawrisch, K, Cheng, N, Stevens, AC, **Gronenborn, AM**. Structural characterization of the dilute aqueous surfactant solution of cetylpyridinium bromide/hexanol/sodium bromide. *Langmuir* 18, 3773-3779, 2002.
336. Mori, T, Barrientos, LG, Han, Z, **Gronenborn, AM**, Turpin, JA, Boyd, MR. Functional homologs of Cyanovirin-N amenable to mass production in prokaryotic and eukaryotic hosts. *Protein Expr. Purif.* 26, 42-49, 2002.
337. Dangi, B, Dobrodumov, AV, Louis, JM, **Gronenborn, AM**. Solution structure and dynamics of the human- *Escherichia coli* thioredoxin chimera: Insights into thermodynamic stability. *Biochemistry* 41, 9376-9388, 2002. Erratum in: *Biochemistry* 41(40):12270.
338. Campos-Olivas, R, Louis, JM, Clérot, D, Gronenborn, B, **Gronenborn, AM**. ^1H , ^{13}C , and ^{15}N assignment of the N-terminal, catalytic domain of the replication initiation protein from the geminivirus TYLCV. *J. Biol. NMR* 24, 73-74, 2002.
339. Campos-Olivas, R, Louis, JM, Clérot, D, Gronenborn, B, **Gronenborn, AM**. The structure of a replication initiator unites diverse aspects of nucleic acid metabolism. *Proc. Natl. Acad. Sci. U S A* 99, 10310-10315, 2002.
340. Ermolenko, DN, Thomas, ST, Aurora, R, **Gronenborn, AM**, Makhatadze, GL. Hydrophobic interactions at the Ccap position of the C-capping motif of α -helices. *J. Mol. Biol.* 322, 123-136, 2002.
341. **Gronenborn, AM**. The importance of being ordered: Improving NMR structures using residual dipolar couplings. *CR Biol.* 325, 957-966, 2002.
342. Shenoy, SR, Barrientos, LG, Ratner, DM, O'Keefe, BR, Seeberger, PH, **Gronenborn, AM**, Boyd, MR. Multisite and multivalent binding between Cyanovirin-N and branched oligomannosides: Calorimetric and NMR characterization. *Chem. Biol.* 9, 1109-1118, 2002.
343. Ding, K, **Gronenborn, AM**. Sensitivity-enhanced E.COSY-type HSQC experiments for accurate measurement of one-bond ^{15}N - $^1\text{H}^{\text{N}}$ and ^{15}N - $^{13}\text{C}'$ and two-bond $^{13}\text{C}'$ - $^1\text{H}^{\text{N}}$ residual dipolar couplings in proteins. *J. Magn. Reson.* 158, 173-177, 2002.
344. Barrientos, LG, **Gronenborn, AM**. The domain-swapped dimer of cyanovirin-N contains two sets of oligosaccharide binding sites in solution. *Biochem. Biophys. Res. Commun.* 298, 598-602, 2002.

345. Barrientos, LG, O'Keefe, BR, Bray, M, Sanchez, A, **Gronenborn, AM**, Boyd, MR. Cyanovirin-N binds to the viral surface glycoprotein GP_{1,2} and inhibits infectivity of Ebola virus. *Antiviral Res.* 58, 47-56, 2003.
346. Barrientos, LG, Louis, JM, Ratner, DM, Seeberger, PH, **Gronenborn, AM**. Solution structure of a circular permuted variant of the potent HIV-inactivating protein cyanovirin-N: Structural basis for protein stability and oligosaccharide interaction. *J. Mol. Biol.* 325, 211-233, 2003.
347. Mesleh, MF, Valentine, KG, Opella, SJ, Louis, JM, **Gronenborn, AM**. Myristoylation as a general method for immobilization and alignment of soluble proteins for solid-state NMR structural studies. *J. Biomol. NMR* 25, 55-61, 2003.
348. Louis, JM, Ishima, R, Nesheiwat, I, Pannell, LK, Lynch, SM, Torchia, DA, **Gronenborn, AM**. Revisiting monomeric HIV-1 protease: Characterization and redesign for improved properties. *J. Biol. Chem.* 278, 6085-6092, 2003.
349. **Gronenborn, AM**. Rapid screening of *E. coli* extracts by heteronuclear NMR. *Curr. Protoc. Protein Sci.* unit 7.11, 2003.
350. Dobrodumov A, **Gronenborn, AM**. Filtering and selection of structural models: Combining docking and NMR. *Proteins* 53, 18-32, 2003.
351. Ding, K, **Gronenborn, AM**. Sensitivity-enhanced 2D IPAP, TROSY-anti-TROSY and E.COSY experiments: Alternatives for measuring dipolar ¹⁵N-¹HN couplings. *J. Magn. Reson.* 163, 208-214, 2003.
352. Ding, K, **Gronenborn, AM**. Simultaneous and accurate determination of one-bond ¹⁵N-¹³C' and two-bond ¹H^N-¹³C' dipolar couplings. *J. Am. Chem. Soc.* 125, 11504-11505, 2003.
353. Byeon, I-JL, Louis, JM, **Gronenborn AM**. A protein contortionist: core mutations of GB1 that induce dimerization and domain-swapping. *J. Mol. Biol.* 333, 141-152, 2003. Erratum in: *J. Mol. Biol.* 334(3):605
354. Katoh, E, Louis, JM, Yamazaki, T, **Gronenborn, AM**, Torchia, DA, Ishima, R. A solution NMR study of the binding kinetics and the internal dynamics of HIV-1 protease-substrate complex. *Protein Sci.* 12, 1376-1385, 2003.
355. Ishima, R, Torchia, DA, Lynch, SM, **Gronenborn, AM**, Louis, JM. Solution structure of the mature HIV-1 protease monomer: Insight into the tertiary fold and stability of a precursor. *J. Biol. Chem.* 278, 43311-43319, 2003.
356. McKinney, J, Knappskog, PM, Pereira, J, Ekern, T, Toska, K, Kuitert, BB, Levine, D, **Gronenborn, AM**, Martinez, A, Haavik, J. Expression and purification of human tryptophan hydroxylase from *Escherichia coli* and *Pichia pasoris*. *Protein Expr. Purif.* 33, 185-194, 2004.
357. Ding, K, Louis, JM, **Gronenborn, AM**. Insights into conformation and dynamics of protein GB1 during folding and unfolding by NMR. *J. Mol. Biol.* 335, 1299-1307, 2004.

358. Mohanty, S, Zubkov, S, **Gronenborn, AM**. The solution NMR structure of *Antheraea polyphemus* PBP provides new insight on pheromone recognition by pheromone binding proteins. *J. Mol. Biol.* 337, 443-451, 2004. Erratum in: *J. Mol. Biol.* 338(5):1037.
359. Ding, K, **Gronenborn, AM**. Sensitivity-enhanced IPAP experiments for measuring one-bond $^{13}\text{C}'$ - $^{13}\text{C}\alpha$ and $^{13}\text{C}\alpha$ - $^1\text{H}\alpha$ residual dipolar couplings in proteins. *J. Magn. Reson.* 167, 253-258, 2004.
360. Byeon, I-JL, Louis, JM, **Gronenborn, AM**. A captured folding intermediate involved in dimerization and domain-swapping of GB1. *J. Mol. Biol.*, 340, 615-625, 2004.
361. Ding, K, **Gronenborn, AM**. Protein backbone $^1\text{H}^{\text{N}}$ - $^{13}\text{C}\alpha$ and ^{15}N - $^{13}\text{C}\alpha$ residual dipolar and J-couplings: New constraints for NMR structure determination. *J. Am. Chem. Soc.* 126, 6232-6233, 2004.
362. Dangi, B, **Gronenborn, AM**, Rosner, JL, Martin, RG. Versatility of the carboxy-terminal domain of the α subunit of RNA polymerase in transcriptional activation: Use of the DNA contact site as a protein contact site for MarA. *Mol. Microbiol.* 54, 45-59, 2004.
363. Barrientos, LG, Lasala, F, Delgado, R, Sanchez, A, **Gronenborn, AM**. Flipping the switch from monomeric to dimeric CV-N has little effect on antiviral activity. *Structure* 12, 1799-1807, 2004.
364. Sandström, C, Berteau, O, Gemma, E, Oscarson, S, Kenne, L, **Gronenborn, AM**. Atomic mapping of the interactions between the antiviral agent cyanovirin-N and oligomannosides by saturation-transfer difference NMR. *Biochemistry* 43, 13926-13931, 2004.
365. Barrientos, LG, **Gronenborn AM**. The highly specific carbohydrate-binding protein cyanovirin-N: Structure, Anti-HIV/Ebola activity and possibilities for therapy. *Mini Rev. Med.Chem.* 5, 21-31, 2005.
366. Louis, JM, Byeon, I-JL, Baxa, U, **Gronenborn AM**. The GB1 amyloid fibril: Recruitment of the peripheral β - strands of the domain swapped dimer into the polymeric interface. *J. Mol. Biol.* 348, 687-698, 2005.
367. Mangold, SL, Morgan, JR, Strohmeyer, GC, **Gronenborn, AM**, Cloninger, MJ. Cyanovirin-N binding to Man α 1-2Man functionalized dendrimers. *Org. Biomol. Chem.*3, 2354 - 2358, 2005.
368. Byeon, I-JL, Li, H, Song, H, **Gronenborn, AM**, Tsai, M-D. Sequential phosphorylation and multisite interactions characterize specific target recognition by the FHA domain of Ki67. *Nat. Struct. Mol. Biol.* 12, 987-993, 2005.
369. Zubkov, S, **Gronenborn, AM**, Byeon, I-JL, Mohanty, S. Structural consequences of the pH-induced conformational switch in *A. polyphemus* pheromone binding protein: mechanisms of ligand release. *J. Mol. Biol.* 354, 1081-1090, 2005.
370. Barrientos, LG, Matei, E, Lasala, F, Delgado, R, **Gronenborn, AM**. Dissecting carbohydrate-Cyanovirin-N binding by structure-guided mutagenesis: Functional implications for viral entry inhibition. *Protein Eng. Des. Sel.* 19 (12): 525-535, 2006.
371. Toptygin, D, **Gronenborn, AM**, Brand, L. Nanosecond relaxation dynamics of protein GB1 identified by the time dependent red shift in the fluorescence of tryptophan and 5 fluorotryptophan. *J. Phys. Chem. B* 110(51): 26292-26302, 2006.

372. Vega-Rocha, S, **Gronenborn, AM**, Gronenborn, B, Campos-Olivas, R. ¹H, ¹³C, and ¹⁵N NMR assignment of the master Rep protein nuclease domain from the Nanovirus FBNYV. *J. Biomol. NMR* 38(2): 169, 2007.
373. Ermolenko, DN, Dangi, B, Gvritshvili, A, **Gronenborn, AM**, Makhatadze GI. Elimination of the C-cap in ubiquitin – structure, dynamics and thermodynamic consequences. *Biophys. Chem.* 126: 25-35, 2007.
374. Vega-Rocha, S, Byeon, I-JL, Gronenborn, B, **Gronenborn, AM**, Campos-Olivas, R. Solution structure, divalent metal and DNA binding of the endonuclease domain from the replication initiation protein from Porcine Circovirus 2. *J. Mol. Biol.* 367: 473-487, 2007.
375. Vega-Rocha, S, Gronenborn, B, **Gronenborn, AM**, Campos-Olivas, R. Solution structure of the endonuclease domain from the master replication initiator protein of the nanovirus Faba Bean Necrotic Yellow Virus and comparison with the corresponding Geminivirus and Circovirus structures. *Biochemistry* 46: 6201-6212, 2007, PMC2577285.
376. Yang, LW, Eyal, E, Chennubhotla, C, Jee, J, **Gronenborn, AM**, Bahar, I. Insights into equilibrium dynamics of proteins from comparison of NMR and X-ray data with computational predictions. *Structure* 15(6): 741-749, 2007, PMC2760440.
377. Shahkhatuni, AA, Shahkhatuni, AG, Panosyan, HA, Shakyan, AB, Byeon, IJ, **Gronenborn, AM**. Assessment of solvent effects: Do weak alignment media affect the structure of the solute? *Magn. Reson. Chem.* 45(7): 557-563, 2007.
378. Iwatani, Y, Chan, DS, Wang, F, Maynard, KS, Sugiura, W, **Gronenborn, AM**, Rouzina, I, Williams, MC, Musier-Forsyth, K, Levin, JG. Deaminase-independent inhibition of HIV-1 reverse transcription by APOBEC3G. *Nucleic Acids Res.* 35, 7096-7108, 2007, PMC2175344.
379. Sandström, C, Hakkarainen, B, Matei, E, Glinchert, A, Lahmann, M, Oscarson, S, Kenne, L, **Gronenborn, AM**. Atomic mapping of the sugar interactions in one-site and two-site mutants of Cyanovirin-N by NMR spectroscopy. *Biochemistry* 47, 3625-3635, 2008.
380. Jee, J, Ishima, R, **Gronenborn, AM**. Characterization of specific protein association by ¹⁵N CPMG relaxation dispersion NMR: The GB1^{A34F} monomer-dimer equilibrium. *J. Phys. Chem. B.* 112: 6008-6012, 2008.
381. Jee, J, Byeon, IJ, Louis, JM, **Gronenborn, AM**. The point mutation A34F causes dimerization of GB1. *Proteins* 71: 1420-1431, 2008.
382. Koharudin, LMI, Viscomi, AR, Jee, J-G, Ottonello, S, **Gronenborn, AM**. The evolutionary conserved family of cyanovirin-N homologs (CVNHs): Structures and carbohydrate specificity. *Structure* 16: 570-584, 2008.
383. Matei, E, Furey, W, **Gronenborn, AM**. Solution and crystal structures of a sugar binding site mutant of cyanovirin-N: No evidence of domain swapping. *Structure* 16: 1183-1194, 2008, PMC2637156.
384. Wang, X, Fukuda, K, Byeon, IJ, Velyvis, A, Wu, C, **Gronenborn, AM**, Qin, J. Structure of a-parvin CH2/paxillin LD1 complex reveals a novel modular recognition for focal adhesion assembly. *J. Biol. Chem.* 283(30), 21113-9, 2008, PMC2475713.

385. Ahn, J, Byeon, IJ, Byeon, CH, **Gronenborn, AM**. Insight into the structural basis of pro- and anti-apoptotic p53 modulation by ASPP proteins. *J. Biol. Chem.* 284, 13812-13822, 2009, PMC2679482.
386. Jung, J, Byeon, IL, Wang, Y, King, J, **Gronenborn, AM**. The structure of the cataract-causing P23T mutant of human γ D-crystallin exhibits distinctive local conformational and dynamic changes. *Biochemistry* 48, 2597-2609, 2009, PMC2722838.
387. Thakur, AK, Jayaraman, M, Mishra, R, Thakur, M, Chellgren, VM, Byeon, IL, Anjum, DH, Kodali, R, Creamer, TP, Conway, JF, **Gronenborn, AM**, Wetzel, R. Polyglutamine disruption of the huntingtin exon1 N-terminus triggers a complex aggregation mechanism. *Nat. Struct. Mol. Biol.* 16(4): 380-389, 2009, PMC2706102.
388. **Gronenborn, AM**. Protein acrobatics in pairs - dimerization via domain swapping. *Curr. Opin. Struct. Biol.* 19, 39-49, 2009, PMC2676429.
389. Koharudin, LMI, Furey, W, Liu, H, Liu, YJ, **Gronenborn, AM**. The Phox domain of sorting nexin 5 lacks phosphatidylinositol 3-phosphate (PtdIns(3)P) specificity and preferentially binds to phosphatidylinositol 4,5-bisphosphate (PtdIns(4,5)P₂). *J. Biol. Chem.* 284, 23697-23707, 2009, PMC2749144. (selected as paper of the week).
390. Wang, J, Zuo, X, Yu, P, Byeon, IL, Jung, J, Wang, X, Dyba, M, Seifert, S, Schwieters, CD, Qin, J, **Gronenborn, AM**, Wang, Y. Determination of multicomponent protein structures in solution using global orientation and shape restraints. *J. Am. Chem. Soc.* 131, 10507-10515, 2009, PMC2873192.
391. Koharudin, LMI, Furey, W, **Gronenborn, AM**. A designed chimeric cyanovirin-N homolog lectin: structure and molecular basis of sucrose binding, *Proteins* 77, 904-915, 2009, PMC2773468.
392. Liu, L, Koharudin, LMI, **Gronenborn, AM**, Bahar, I. A comparative analysis of the equilibrium dynamics of a designed protein inferred from NMR, X-ray, and computations, *Proteins* 77, 927-39, 2009, PMC2767477.
393. Iwatani, Y, Chan, DSB, Liu, L, Yoshii, H, Shibata, J, Yamamoto, N, Levin, JG, **Gronenborn, AM**, Sugiura, W. HIV-1 Vif-mediated ubiquitination/degradation of APOBEC3G involves four critical lysine residues in its C-terminal domain. *Proc. Natl. Acad. Sci. U.S.A.* 17, 19539-19544, 2009, PMC2772817.
394. Jung, J, Byeon, IL, Ahn, J, Concel, J, **Gronenborn, AM**. ¹H, ¹⁵N and ¹³C assignments of the dimeric C-terminal domain of HIV-1 capsid protein. *Biomol. NMR Assign.* 4(1), 21-23, 2010, PMC3448961
395. Byeon, IL, Meng, X, Jung, J, Zhao, G, Yang, R, Ahn, J, Shi, J, Concel, J, Aiken, C, Zhang, P, **Gronenborn, AM**. Structural convergence between cryoEM and NMR reveals intersubunit interactions critical for HIV-1 capsid function. *Cell* 139, 780-790, 2009, PMC2782912.
396. Matei, E, Zheng, A, Furey, W, Rose, J, Aiken, C, **Gronenborn, AM**. Anti-HIV activity of defective cyanovirin-N mutants is restored by dimerization. *J. Biol. Chem.* 285, 13057-13065, 2010, PMC2857066.
397. Han, Y, Ahn, J, Concel, J, Byeon, IL, **Gronenborn, AM**, Yang, J, Polenova, T. Solid-state NMR studies of HIV-1 capsid protein assemblies. *J. Am. Chem. Soc.* 132, 1976-1987, 2010, PMC2829833.

398. Byeon, IL, Dao, KK, Jung, J, Keen, J, Leiros, I, Døskeland, SO, Martinez, A, **Gronenborn, AM**. Allosteric Communication between cAMP binding sites in the RI subunit of protein kinase A revealed by NMR. *J. Biol. Chem.* 285, 14062-14070, 2010, PMC2859567.
399. Koharudin, LMI, Liu, H, DiMaio, R, Kodali, RB, Graham, SH, **Gronenborn, AM**. Cyclopentenone prostaglandin-induced unfolding and aggregation of the Parkinson disease-associated UCH-L1. *Proc. Natl. Acad. Sci. U.S.A.* 107, 6835–6840, 2010, PMC2872412.
400. Ahn, J, Byeon, I-J, Dharmasena, S, Huber, K, Concel, J, **Gronenborn, AM**, Sluis-Cremer, N. The RNA binding protein HuR does not interact directly with HIV-1 reverse transcriptase and does not affect reverse transcription in vitro. *Retrovirology* 7, 40, 2010, PMC2873509.
401. Dikeakos, JD, Atkins, KM, Thomas, L, Emert-Sedlak, L, Byeon, I-J, Jung, J, Ahn, J, Wortman, MD, Kukull, B, Saito, M, Koizumi, H, Williamson, DM, Hiyoshi, M, Barklis, E, Takiguchi, M, Suzu, S, **Gronenborn, AM**, Smithgall, TE, Thomas, G. Small molecule inhibition of HIV-1-induced MHC-I down-regulation identifies a temporally regulated switch in Nef action. *Mol. Biol. Cell.* 21, 3279-92, 2010, PMC2947465.
402. Walsh, JD, Meier, K, Ishima, R, **Gronenborn, AM**. NMR studies on domain diffusion and alignment in modular GB1 repeats. *Biophys J.* 99, 2636-46, 2010, PMC2955504.
403. Ahn, J, Vu, T, Novince, Z, Guerrero-Santoro, J, Rapic-Otrin, V, **Gronenborn, AM**. HIV-1 Vpr loads Uracil DNA Glycosylase-2 onto DCAF1, a substrate recognition subunit of a Cullin 4A-RING E3 ubiquitin ligase for proteasome-dependent degradation. *J Biol Chem.* 285, 37333-41, 2010, PMC2988339.
404. Hou, G, Paramasivam, S, Byeon, I-J, **Gronenborn, AM**, Polenova, T. Determination of relative tensor orientations by γ -encoded chemical shift anisotropy/heteronuclear dipolar coupling 3D NMR spectroscopy in biological solids. *Phys. Chem. Chem. Phys.* 12, 14873-83, 2010, PMC3160241.
405. Koharudin, LM, Furey, W, **Gronenborn, AM**. Novel fold and carbohydrate specificity of the potent anti-HIV cyanobacterial lectin from *Oscillatoria agardhii*. *J. Biol. Chem.* 286, 1588-1597, 2011, PMC3020767.
406. Dao, KK, Pey, AL, Gjerde, AU, Teigen, K, Byeon, IL, Døskeland, SO, **Gronenborn, AM**, Martinez, A. The regulatory subunit of PKA-I remains partially structured and undergoes β -aggregation upon thermal denaturation. *PLoS ONE* 6(3): e17602, 2011, PMC3048872.
407. Zhao, G, Ke, D, Vu, T, Ahn, J, Shah, VB, Yang, R, Aiken, C, Charlton, LM, **Gronenborn AM**, Zhang P. Rhesus TRIM5 α disrupts the HIV-1 capsid at the inter-hexamer interfaces. *PLoS Pathog.* 7(3): e1002009, 2011, PMC3063768.
408. Ahn, J, Novince, Z, Concel, J, Byeon, C, Makhov, AM, Byeon IL, Zhang P, **Gronenborn AM**. The Cullin-RING E3 ubiquitin ligase CRL4-DCAF1 complex dimerizes via a short helical region in DCAF1. *Biochemistry* 50, 37333-37341, 2011, PMC3072279.
409. Matei, E, Louis, JM, Jee, J, **Gronenborn AM**. NMR solution structure of a cyanovirin homolog from Wheat Head Blight Fungus. *Proteins* 79, 1538-1549, 2011, PMC3076533.
410. Jung, J, Byeon, IL, Ahn, J, **Gronenborn, AM**. Structure, dynamics, and Hck interaction of full-length HIV-1 Nef, *Proteins* 79, 1609-1622, 2011, PMC3076547.

411. Koharudin, LMI, Viscomi, AR, Montanini, B, Kershaw, MJ, Talbot, NJ, Ottonello, S, **Gronenborn, AM**. Structure-function analysis of a CVNH-LysM lectin expressed during plant infection by the rice blast fungus *Magnaporthe oryzae*. *Structure* 19, 662-674, 2011, PMC3094573.
412. Koharudin, LM, **Gronenborn, AM**. Structural basis of the anti-HIV activity of the cyanobacterial *Oscillatoria Agardhii* agglutinin. *Structure* 19, 1170-1181, 2011, PMC3154684.
413. Wang, X, Matei, E, Deng, L, Ramström, O, **Gronenborn, AM**, Yan, M. Multivalent glyconanoparticles with enhanced affinity to the anti-viral lectin cyanovirin-N. *Chem. Commun.* 47, 8620 - 8622, 2011, PMC3800545.
414. Hou, G, Yan, S, Sun, S, Han, Y, Byeon, I-J, Ahn, J, Concel, J, Samoson, A, **Gronenborn, AM**, Polenova, T. Spin diffusion driven by R-symmetry sequences: Applications to homonuclear correlation spectroscopy in MAS NMR of biological and organic solids. *J. Am. Chem. Soc.*, 133, 3943-3953, 2011, PMC314860.
415. Garrett, DS, **Gronenborn, AM**, Clore, GM. A short recollection on the paper entitled "A common sense approach to peak picking in two-, three-, and four-dimensional spectra using automatic computer analysis of contour diagrams" by D.S. Garrett, R. Powers, A.M. Gronenborn and G.M. Clore [*J. Magn. Reson.* 95, 1991, 214-220], *J. Magn. Reson.* 213, 364-365, 2011.
416. Hou, G, Byeon, I-JL, Ahn, J, **Gronenborn, AM**, Polenova, T. ^1H - $^{13}\text{C}/^1\text{H}$ - ^{15}N heteronuclear dipolar recoupling by R-symmetry sequences under fast magic angle spinning for dynamics analysis of biological and organic solids. *J. Am. Chem. Soc.* 133, 18646-18655, 2011, PMC3218250.
417. Kilpatrick, AM, Koharudin, LMI, Calero, GA, **Gronenborn, AM**. Structural and binding studies of the C-terminal domains of yeast TFIIIF subunits Tfg1 and Tfg2. *Proteins* 80, 519-529, 2012.
418. Liu, L, **Gronenborn, AM**, Bahar, I. Longer simulations sample larger subspaces of conformations while maintaining robust mechanisms of motion. *Proteins* 80, 616-25, 2012, PMC329068.
419. Jayaraman, M, Mishra, R, Kodali, R, Thakur, A, Koharudin, L, **Gronenborn, AM**, Wetzel, R. Kinetically competing huntingtin aggregation pathways control amyloid polymorphism and properties. *Biochemistry* 51, 2706-2716, 2012, PMC3394396.
420. Ji, F, Jung, J, **Gronenborn, AM**. Structural and biochemical characterization of the childhood cataract-associated R76S mutant of human γD -crystallin. *Biochemistry* 51, 2588-2596, 2012, PMC3326406.
421. Byeon, I-JL, Hou, G, Han, Y, Suiter, CL, Ahn, J, Jung, J, Byeon, C-H, **Gronenborn, AM**, Polenova, T. Motions on the millisecond timescale and multiple conformations of HIV-1 capsid protein: implications for structural polymorphism of CA assemblies. *J. Am. Chem. Soc.* 134, 6455-6466, 2012, PMC3325613.
422. Sun, S, Han, Y, Paramasivam, S, Yan, S, Siglin, AE, Williams, JC, Byeon, IJ, Ahn, J, **Gronenborn, AM**, Polenova, T. Solid-state NMR spectroscopy of protein complexes. *Methods Mol. Biol.* 831, 303-331, 2012.
423. Liu, L, Byeon, IJ, Bahar, I, **Gronenborn, AM**. Domain swapping proceeds via complete unfolding: A ^{19}F - and ^1H NMR study of the Cyanovirin-N protein. *J. Am. Chem. Soc.* 134, 4229-4235, 2012, PMC3326405.

424. Wang, X, Matei, E, **Gronenborn, AM**, Ramström, O, Yan, M. Direct measurement of glyconanoparticles and Lectin interactions by isothermal titration calorimetry. *Anal. Chem.* 84, 4248-4252, 2012, PMC3526666.
425. Yang, R, Shi, J, Byeon, I-J, Ahn, J, Sheehan, JH, Meiler, J, **Gronenborn, AM**, Aiken, C. Second-site suppressors of HIV-1 capsid mutations: restoration of intracellular activities without correction of intrinsic capsid stability defects. *Retrovirology* 9:30, 1-14, 2012, PMC3351742.
426. Meng, X, Zhao, G, Yufenyuy, E, Ke, D, Ning, J, DeLucia, M, Ahn, J, **Gronenborn, AM**, Aiken, C, Zhang, P. Protease cleavage leads to formation of mature trimer interface in HIV-1 capsid. *PLoS Pathog.* 8(8):e10028862012, 2012, PMC3426514.
427. Koharudin, LMI, Kollipara, S, Aiken, C, **Gronenborn, AM**. Structural insights into the anti-HIV activity of the oscillatoria agardhii agglutinin homolog lectin family. *J. Biol. Chem.* 287, 33796-811, 2012, PMC3460475.
428. Yang, H, Ji, X, Zhao, G, Ning, J, Zhao, Q, Aiken, C, **Gronenborn, AM**, Zhang, P, Xiong, Y. Structural insight into HIV-1 capsid recognition by rhesus TRIM5 α . *Proc Natl Acad Sci U S A.* 109, 18372-7, 2012, PMC3494900.
429. Hou, G, Byeon, IJ, Ahn, J, **Gronenborn, AM**, Polenova, T. Recoupling of chemical shift anisotropy by R-symmetry sequences in magic angle spinning NMR spectroscopy. *J. Chem. Phys.* 137, 134201, 2012, PMC3477183.
430. Krzysiak, TC, Jung, J, Thompson, J, Baker, D, **Gronenborn, AM**. APOBEC2 is a monomer in solution: Implications for APOBEC3G models. *Biochemistry* 51, 2008-2017, 2012, PMC3316327.
431. Ahn, J, Hao, C, Yan, J, DeLucia, M, Mehrens, J, Wang, C, **Gronenborn, AM**, Skowronski, J. HIV/Simian immunodeficiency virus (SIV) accessory virulence factor Vpx loads the host cell restriction factor SAMHD1 onto the E3 ubiquitin ligase complex CRL4^{DCAF1}. *J. Biol. Chem.* 287, 12550-12558, 2012, PMC3321004.
432. Ji, F, Jung, J, Koharudin, LM, **Gronenborn, AM**. The human W42R γ D-crystallin mutant structure provides a link between congenital and age-related cataracts. *J Biol Chem* 288, 99-109, 2013, PMC3537076 (Selected as Paper of the Week).
433. Koharudin, LMI, **Gronenborn, AM**, Sweet entanglements - protein:glycan interactions in two HIV-inactivating lectin families. *Biopolymers* 99, 196-202, 2013, PMC3535575.
434. Koharudin, LM, Boelens, R, Kaptein, R, **Gronenborn, AM**. A NMR guided approach for CsrA-RNA crystallization. *J. Biomol. NMR* 56, 31-39, 2013.
435. Yan, J, Kaur, S, DeLucia, M, Hao, C, Mehrens, J, Wang, C, Golczak, M, Palczewski, K, **Gronenborn, AM**, Ahn, J, Skowronski, J. Tetramerization of SAMHD1 is required for biological activity and inhibition of HIV infection. *J. Biol. Chem.* 288, 10406-10417, 2013, PMC3624423.
436. Matei, E, Andre, S, Glinschert, A, Infantino, AS, Oscarson, S, Gabius, HJ, **Gronenborn, AM**. Fluorinated carbohydrates as lectin ligands: Dissecting glycan-cyanovirin interactions by using ¹⁹F NMR spectroscopy. *Chemistry* 19, 5364-5374, 2013, PMC3796943.

437. Whitley, MJ, Furey, W, Kollipara, S, **Gronenborn, AM**. Burkholderia Oklahomensis agglutinin is a canonical two-domain OAA-family lectin: structures, carbohydrate binding, and anti-HIV activity. FEBS J. 280, 2056-2067, 2013, PMC3745830.
438. Wang, X, Matei, E, Deng, L, Koharudin, L, **Gronenborn, AM**, Ramström, O, Yan, M. Sensing lectin-glycan interactions using lectin super-microarrays and glycans labeled with dye-doped silica nanoparticles. Biosens. Bioelectron. 47, 258-264, 2013, PMC3661755.
439. Koharudin, MI, Liu, L, **Gronenborn, AM**. Different 3D domain-swapped oligomeric cyanovirin-N structures suggest trapped folding intermediates. Proc Natl Acad Sci U S A. 110, 7702-7707, 2013, PMC3651430.
440. Byeon, I-JL, Ahn, J, Mitra, M, Byeon, C-H, Hercik, K, Hritz, J, Charlton, LM, Levin, JG, **Gronenborn, AM**. NMR structure of human restriction factor APOBEC3A reveals substrate binding and enzyme specificity. Nat. Commun. 4, 1890, 2013, PMC3674325.
441. Zhao, G, Perilla, JR, Yufenyuy, EL, Meng, X, Chen, B, Ning, J, Ahn, J, **Gronenborn, AM**, Schulten, K, Aiken, C, Zhang, P. Mature HIV-1 capsid structure by cryo-electron microscopy and all-atom molecular dynamics. Nature 497, 643-646, 2013, PMC3729984.
442. Ji, F, Koharudin, LMI, Jung, J, **Gronenborn, AM**. Crystal structure of the cataract-causing P23T γ D-crystallin mutant. Proteins 8, 1493-1498, 2013, PMC3852438.
443. Ban, D, Mazur, AG, Carneiro, M, Sabo, TM, Giller, K, Koharudin, LM, Becker, S, **Gronenborn, AM**, Griesinger, C, Lee, D. Enhanced accuracy of kinetic information from CT-CPMG experiments by transverse rotating-frame spectroscopy. J. Biomol. NMR. 57, 73-82, 2013.
444. Ji, X, Wu, Y, Yan, J, Mehrens, J, Yang, H, DeLucia, M, Hao, C, **Gronenborn, AM**, Skowronski, J, Ahn, J, Xiong, Y. Mechanism of allosteric activation of SAMHD1 by dGTP. Nat. Struct. Mol. Biol. 20, 1304-1309, 2013, PMC3833828.
445. Han, Y, Hou, G, Suiter, CL, Ahn, J, Byeon, IJ, Lipton, AS, Burton, SD, Hung, I, Gor'kov, PL, Gan, Z, Brey, WW, Rice, D, **Gronenborn, AM**, Polenova, TE. Magic angle spinning NMR reveals sequence-dependent structural plasticity, dynamics, and the spacer peptide 1 conformation in HIV-1 capsid protein assemblies. J. Am. Chem. Soc. 135, 17793-17803, 2013, PMC3928671.
446. Mitra, M, Hercik, K, Byeon, IJ, Ahn, J, Hill, S, Hinchee-Rodriguez, K, Singer, D, Byeon, CH, Charlton, LM, Nam, G, Heidecker, G, **Gronenborn, AM**, Levin, JG. Structural determinants of human APOBEC3A enzymatic and nucleic acid binding properties. Nucleic Acids Res. 42, 1095-1110, 2014, PMC3902935.
447. Jung, J, Byeon, IJ, Delucia, M, Koharudin, LM, Ahn, J, **Gronenborn, AM**. Binding of HIV-1 Vpr protein to the human homolog of the yeast DNA repair protein RAD23 (hHR23A) requires its xeroderma pigmentosum complementation group C binding (XPCB) domain as well as the ubiquitin-associated 2 (UBA2) domain. J. Biol. Chem. 289, 2577-2588, 2014, PMC3908392.
448. Debiec, KT, **Gronenborn, AM**, Chong, LT. Evaluating the strength of salt bridges - A comparison of current biomolecular force fields. J. Phys. Chem. B. 18, 6561-6569, 2014, PMC4064690.

449. Sharaf, NG, Poliner, E, Slack, RL, Christen, MT, Byeon, I-J, Parniak, MA, **Gronenborn, AM**, Ishima, R. The p66 immature precursor of HIV-1 reverse transcriptase. *Proteins* 82:2343-2352, 2014, PMC4441793.
450. Qin, J, **Gronenborn, AM**. Weak protein complexes: Challenging to study but essential for life. *FEBS J.* 281(8): 1948-1949, 2014.
451. Koharudin LM, **Gronenborn, AM**. Antiviral lectins as potential microbicides. *Curr. Opin. Virol.* 7, 95-100, 2014, PMC4149946.
452. Férir, G, Huskens, D, Noppen, S, Koharudin, LM, **Gronenborn, AM**, Schols, D. Broad anti-HIV activity of the oscillatoria agardhii agglutinin homologue lectin family. *J. Antimicrob. Chemother.* 69, 2746-58, 2014, PMC4164143.
453. Hritz, J, Byeon, IL, Krzysiak, T, Martinez, A, Sklenar, V, **Gronenborn, AM**. Dissection of binding between a phosphorylated tyrosine hydroxylase peptide and 14-3-3 ζ : a complex story elucidated by NMR. *Biophys. J.* 107(9): 2185-2194, 2014, PMC 4223184.
454. Koharudin, LM, Wu, Y, DeLucia, M, Mehrens, J, **Gronenborn, AM**, Ahn, J. Structural basis of allosteric activation of sterile α motif and histidine-aspartate domain-containing protein 1 (SAMHD1) by nucleoside triphosphates. *J. Biol. Chem.* 289(47): 32617-32627, 2014, PMC4239615.
455. Mitra, M, Singer, D, Mano, Y, Hritz, J, Nam, G, Gorelick, RJ, Byeon, IJ, **Gronenborn, AM**, Iwatani, Y, Levin, JG. Sequence and structural determinants of human APOBEC3H deaminase and anti-HIV activities. *Retrovirology* 12(1):3, 2015, PMC4323217.
456. Carneiro, MG, Koharudin, LM, Griesinger, C, **Gronenborn, AM**, Lee, D. (1)H, (13)C and (15)N resonance assignment of the anti-HIV lectin from oscillatoria agardhii. *Biomol. NMR Assign.* 9(2):317-9, 2015, PMC4537409.
457. Carneiro, MG, Koharudin, LM, Ban, D, Sabo, TM, Trigo-Mourino, P, Mazur, A, Griesinger, C, **Gronenborn, AM**, Lee, D. Sampling of glycan-bound conformers by the anti-HIV lectin Oscillatoria agardhii agglutinin in the absence of sugar. *Angew Chem. Int. Ed. Engl.* 54:6462-5, 2015, PMC4480366.
458. Wu, Y, Koharudin, LM, Mehrens, J, DeLucia, M, Byeon, CH, Byeon, IJ, Calero, G, Ahn, J, **Gronenborn, AM**. Structural basis of clade-specific engagement of SAMHD1 restriction factors by lentiviral Vpx virulence factors. *J. Biol. Chem.* 290(29):17935-45, 2015, PMC4505041.
459. Koharudin, LM, Debiec, KT, **Gronenborn, AM**. Structural insight into fungal cell wall recognition by a CVNH protein with a single LysM domain. *Structure* 23: 1-12, 2015, PMC4635050.
460. Lu, M, Hou, G, Zhang, H, Suiter, CL, Ahn, J, Byeon, I-JL, Perilla, JR, Langmead, C, Hung, I, Gor'kov, PL, Gan, Z, Brey, W, Aiken, CL, Zhang, P, Schulten, K, **Gronenborn, AM**, Polenova, T. Dynamic allostery governs cyclophylin A - HIV capsid interplay. *Proc Natl Acad Sci U S A.* 112: 14617-22, 2015, PMC4664340.
461. Matei, E, **Gronenborn, AM**. ¹⁹F Paramagnetic relaxation enhancement: A valuable tool for distance measurements in proteins. *Angew Chem. Int. Ed. Engl.* 55, 150-4, 2016, PMC4715678.

462. Gupta, R, Lu, M, Hou, G, Caporini, M, Rosay, M, Maas, W, Struppe, J, Suiter, C, Ahn, J, Byeon, I-JL, Franks, W, Orwick-Rydmark, M, Bertarello, A, Oschkinat, H, Lesage, A, Pitacuda, G, **Gronenborn, AM**, Polenova, T. Dynamic nuclear polarization enhanced MAS NMR for structural analysis of HIV-1 protein assemblies. *J. Phys. Chem.* 120, 329-339, 2016, PMC4890707.
463. Liu, X, Hillwig, ML, Koharudin, LMI, **Gronenborn, AM**. Unified biogenesis of ambiguine, fischerindole, hapalindole and welwitindolinone: Identification of a monogeranylated indolenine as a cryptic common biosynthetic intermediate by an unusual magnesium-dependent aromatic prenyltransferase. *Chem. Commun.* 52, 1737-1740, 2016, PMC4720564.
464. Liu, C, Perilla, JR, Ning, J, Lu, M, Hou, G, Ramalho, R, Himes, B, Zhao, G, Bedwell, G, Byeon, I-JL, Ahn, J, **Gronenborn, AM**, Prevelige PE, Rousso, I, Aiken, C, Polenova, T, Schulten, K, Zhang, P. Cyclophilin A stabilizes HIV-1 capsid through a novel non-canonical binding site. *Nat. Commun.*, 7:10714, 2016, PMC4785225.
465. Perilla, JR, **Gronenborn, AM**. Molecular architecture of retroviral capsids. *Trends Biochem. Sci.* 41, 410-420, 2016, PMC4879823.
466. Krzysiak, TC, Chen, BB, Lear, T, Mallampalli, RK, **Gronenborn, AM**. Crystal structure and interaction studies of the human FBxo3 ApaG domain. *FEBS J.*, 283(11):2091-101, 2016, PMC5065005.
467. Byeon, IL, Byeon, CH, Wu, T, Mitra, M, Singer, D, Levin, JG, **Gronenborn, AM**. NMR structure of the APOBEC3B catalytic domain: Structural basis for substrate binding and DNA deaminase activity. *Biochemistry* 55(21):2944-59, 2016, PMC4943463.
468. Sharaf, NG, Ishima, R, **Gronenborn, AM**. Conformational plasticity of the NNRTI-binding pocket in HIV-1 reverse transcriptase - A fluorine NMR study. *Biochemistry* 55 (28):3864-3873, 2016, PMC4955860.
469. Stevenson, HP, Lin, G, Barnes, CO, Sutkeviciute, I, Krzysiak, T, Weiss, SC, Reynolds, S, Wu, Y, Nagarajan, V, Makhov, AM, Lawrence, R, Lamm, E, Clark, L, Gardella, TJ, Hogue, BG, Ogata, CM, Ahn, J, **Gronenborn, AM**, Conway, JF, Vilaradaga, JP, Cohen, AE, Calero, G. Transmission electron microscopy for the evaluation and optimization of crystal growth. *Acta Cryst. D*72, 603-615, 2016, PMC4854312.
470. Debiec, KT, Cerutti, DS, Baker, LR, **Gronenborn, AM**, Case, DA, Chong, L. Further along the road less traveled: AMBER ff15ipq, an original protein force field built on a self-consistent physical model. *J. Chem. Theory and Comput*, 12(8):3926-3947, 2016, PMC4980686.
471. Matei, E, Basu, R, Furey, W, Shi, J, Calnan, C, Aiken, C, **Gronenborn, AM**. Structure and glycan binding of a new cyanovirin-N homolog. *J Biol Chem*, 291(36): 18967-18976, 2016, PMC5009269.
472. Wu, Y, Zhou, X, Barnes, CO, DeLucia, M, Cohen, AE, **Gronenborn, AM**, Ahn, J, Calero, G. The DDB1–DCAF1–Vpr–UNG2 crystal structure reveals how HIV-1 Vpr steers human UNG2 toward destruction. *Nat. Struct. Mol. Biol.*, 23, 933-940, 2016, PMC5385928.
473. Zhang H, Hou G, Lu M, Ahn J, Byeon IL, Langmead CJ, Perilla JR, Hung I, Gor'kov PL, Gan Z, Brey WW, Case DA, Schulten K, **Gronenborn AM**, Polenova T. HIV-1 capsid function is regulated by

- dynamics: Quantitative atomic-resolution insights by integrating magic-angle-spinning NMR, QM/MM, and MD. *J Am Chem Soc.*, 138(42): 14066-14075, 2016, PMC5380593.
474. Sharaf NG, Brereton AE, Byeon IL, Karplus PA, **Gronenborn AM**. NMR structure of the HIV-1 reverse transcriptase thumb subdomain. *J Biomol NMR*, 66:273-280, 2016, PMC5218889.
475. Fritz M, Quinn CM, Wang M, Hou G, Lu X, Koharudin LMI, Polenova T, **Gronenborn AM**. Toward closing the gap: Quantum mechanical calculations and experimentally measured chemical shifts of a microcrystalline lectin. *J Phys Chem B.*, 121(15): 3574-3585, 2017, PMC5465307.
476. Perilla JR, Zhao G, Lu M, Ning J, Hou G, Byeon IL, **Gronenborn AM**, Polenova T, Zhang P. CryoEM structure refinement by integrating NMR chemical shifts with molecular dynamics simulations. *J Phys Chem B.*, 121(15):3853-3863, 2017, PMC5459578.
477. Xi Z, Whitley MJ, **Gronenborn AM**. Human β B2-crystallin forms a face-en-face dimer in solution: An integrated NMR and SAXS study. *Structure*, 25(3):496-505, 2017, PMC5381515.
478. Whitley MJ, Xi Z, Bartko JC, Jensen MR, Blackledge M, **Gronenborn AM**. A combined NMR and SAXS analysis of the partially folded cataract-associated V75D γ D-crystallin, *Biophysical Journal*, 112(6): 1135-1146, 2017, PMC5376099.
479. Boatz JC, Whitley MJ, Li M, **Gronenborn AM**, van der Wel PCA. Cataract-associated P23T γ D-crystallin retains a native-like fold in amorphous-looking aggregates formed at physiological pH. *Nature Comm.*, 8:1537, 2017, PMC5424181.
480. Nestor G, Anderson T, Oscarson S, **Gronenborn AM**. Exploiting uniformly ^{13}C -labeled carbohydrates for probing carbohydrate-protein interactions by NMR spectroscopy. *J. Am. Chem. Soc.*, 139(17): 6210-6216, 2017, PMC5725960.
481. Struppe J, Quinn CM, Lu M, Wang M, Hou G, Lu X, Kraus J, Andreas LB, Stanek J, Lalli D, Lesage A, Pintacuda G, Maas W, **Gronenborn AM**, Polenova T. Expanding the horizons for structural analysis of fully protonated protein assemblies by NMR spectroscopy at MAS frequencies above 100 kHz. *Solid State Nucl Magn Reson.* 87, 117-125, 2017, PMC5824719.
482. Mitchell SD, **Gronenborn AM**. After 50 years, why are protein X-ray crystallographers still in business? *Br. J. Philos. Sci.* 68; 703-723, 2017.
483. Sharaf NG, Xi Z, Ishima R, **Gronenborn AM**. The HIV-1 p66 homodimeric RT exhibits different conformations in the binding-competent and -incompetent NNRTI site. *Proteins.* 85:2191-2197, 2017, PMC5751703.
484. Wang M, Quinn CM, Perilla JR, Zhang H, Shirra Jr R, Hou G, Byeon I-J, Suiter CL, Ablan S, Urano E, Nitz TJ, Aiken C, Freed EO, Zhang P, Schulten K, **Gronenborn AM**, Polenova T. Quenching protein dynamics interferes with HIV capsid maturation. *Nature Comm.* 8(1): 1779, 2017, PMC5701193.
485. Nestor G, Anderson T, Oscarson S, **Gronenborn AM**. Direct observation of carbohydrate hydroxyl protons in hydrogen bonds with a protein. *J. Am. Chem. Soc.*, 140, 339-345, 2018, PMID: 29227646.

486. Debiec KT, Whitley MJ, Koharudin LMI, Chong LT, **Gronenborn AM**. Integrating NMR, SAXS, and atomistic simulations: Structure and dynamics of a two-domain protein. *Biophys. J.*, 114(4): 839-855, 2018, PMC5985006.
487. Fritz M, Quinn CM, Wang M, Hou G, Lu X, Koharudin LMI, Struppe J, Case DA, Polenova T, **Gronenborn AM**. Determination of accurate backbone chemical shift tensors in microcrystalline proteins by integrating MAS NMR and QM/MM. *Phys. Chem. Chem. Phys.*, 20: 9543, 2018, PMC5892194.
488. Paramasivam S, **Gronenborn AM**, Polenova T. Backbone amide (¹⁵N) chemical shift tensors report on hydrogen bonding interactions in proteins: A magic angle spinning NMR study. *Solid State Nucl. Magn. Reson.*, 92: 1-6, 2018, PMC6261280.
489. Lu M, Sarkar S, Wang M, Kraus J, Fritz M, Quinn CM, Bai S, Holmes S, Dybowski C, Yap GPA, Struppe JO, Sergeyev IV, Maas WE, **Gronenborn AM**, Polenova T. (¹⁹F) Magic Angle Spinning NMR Spectroscopy and Density Functional Theory Calculations of Fluorosubstituted Tryptophans: Integrating Experiment and Theory for Accurate Determination of Chemical Shift Tensors. *J Phys Chem B.*, 122:6148-6155, 2018, PMC6203958.
490. Kraus J, Gupta R, Yehl J, Lu M, Case DA, **Gronenborn AM**, Akke M, Polenova T. Chemical Shifts of the Carbohydrate Binding Domain of Galectin-3 from Magic Angle Spinning NMR and Hybrid Quantum Mechanics/Molecular Mechanics Calculations. *J Phys Chem B.*, 122(11):2931-2939, 2018, PMC5892201.
491. Quinn CM, Wang M, Fritz MP, Runge B, Ahn J, Xu C, Perilla JR, **Gronenborn AM**, Polenova T. Dynamic regulation of HIV-1 capsid interaction with the restriction factor TRIM5 α identified by magic-angle spinning NMR and molecular dynamics simulations. *Proc. Natl. Acad. Sci. USA*, 115(45): 11519-11524, 2018, PMC6233135.
492. Wang M, Lu M, Fritz MP, Quinn CM, Byeon IL, Byeon CH, Struppe J, Maas W, **Gronenborn AM**, Polenova T. Fast Magic-Angle Spinning (¹⁹F) NMR Spectroscopy of HIV-1 Capsid Protein Assemblies. *Angew Chem Int Ed Engl.*, 57: 16375-16379, 2018, PMC6279522.
493. Krzysiak TC, Thomas L, Choi Y-J, Auclair S, Qian Y, Luan S, Krasnow SM, Thomas LL, Koharudin LMI, Benos PV, Marks DL, **Gronenborn AM**, Thomas G. An insulin-responsive sensor in the SIRT1 disordered region binds DBC1 and PACS-2 to control enzyme activity. *Molecular Cell*, 72: 995-998, 2018, PMC6309500.
494. Bozkurt E, **Gronenborn AM**. Diversifying Constrained Peptide Scaffolds: How to Truss Up a Bundle Really Tight. *Biochemistry*, 58(9), 1179-1180, 2019, PMID: 30785728.
495. **Gronenborn AM**. Harnessing the Combined Power of SAXS and NMR. *Adv. Exp. Med. Biol.*, 1105: 171-180, 2019, PMID: 30617829.
496. Russell RW, Fritz MP, Kraus J, Quinn CM, Polenova T, **Gronenborn AM**. Accuracy and precision of protein structures determined by magic angle spinning NMR spectroscopy: For some 'with a little help from a friend'. *J. Biomol. NMR*, 73(6-7): 333-346, 2019, PMC6693955.
497. Lu M, Wang M, Sergeyev IV, Quinn CM, Struppe J, Rosay M, Maas W, **Gronenborn AM**, Polenova T. ¹⁹F Dynamic Nuclear Polarization at Fast Magic Angle Spinning for NMR of HIV-1 Capsid Protein Assemblies. *J. Am. Chem. Soc.*, 141: 5681-5691, 2019, PMC6521953.

498. Guseman AJ, **Gronenborn AM**. Isomerization as the secret Achilles' heel of long-lived proteins. *J. Biol. Chem.*, 294(19): 7556-7557, 2019, PMC651620.
499. Gupta R, Zhang H, Lu M, Hou G, Caporini M, Rosay M, Maas W, Struppe J, Ahn J, Byeon IL, Oschkinat H, Jaudzems K, Barbet-Massin E, Emsley L, Pintacuda G, Lesage A, **Gronenborn AM**, Polenova T. Dynamic nuclear polarization magic angle spinning NMR combined with MD simulations permits detection of order and disorder in viral assemblies. *J. Phys. Chem. B.*, 123: 5048-5058, 2019, PMC6767624.
500. **Gronenborn AM**. Integrated BioNMR: Getting by with a little help from my friends. *J. Magn. Reson.*, 306: 192-194, 2019, PMC6703907.
501. Lu M, Ishima R, Polenova T, **Gronenborn AM**. ¹⁹F NMR relaxation studies of fluorosubstituted tryptophans. *J Biomol NMR*. 73(8-9): 401-409, 2019, PMC6878660.
502. Byeon IL, Jung J, Byeon CH, DeLucia M, Ahn J, **Gronenborn AM**. Complete ¹H, ¹³C, ¹⁵N resonance assignments and secondary structure of the Vpr binding region of hHR23A (residues 223-363). *Biomol NMR Assign*. 14(1):13-17, 2020, PMC7047585.
503. Carlon A, Gigli L, Ravera E, Parigi G, **Gronenborn AM**, Luchinat C. Assessing structural preferences of unstructured protein regions by NMR. *Biophys J*. 117: 1948-1953, 2019, PMC7018990.
504. **Gronenborn AM**. Integrated multidisciplinary in the natural sciences. *J Biol Chem*. 294(48): 18162-18167, 2019, PMC6885623.
505. Fritz M, Kraus J, Quinn CM, Yap GPA, Struppe J, Sergeyev IV, **Gronenborn AM**, Polenova T. Measurement of accurate interfluorine distances in crystalline organic solids: A high-spinning MAS NMR approach. *J Phys Chem B*, 123(50): 10680-10690, 2019, PMC7313266.
506. Hassan A, Quinn CM, Struppe J, Sergeyev IV, Zhang C, Guo C, Runge B, Theint T, Dao HH, Jaroniec CP, Berbon M, Lends A, Habenstein B, Loquet A, Kuemmerle R, Perrone B, **Gronenborn AM**, Polenova T. Sensitivity boosts by the CPMAS CryoProbe for challenging biological assemblies. *J Magn Reson*. 11:106680, 2020, PMC7060763.
507. Struppe J, Quinn CM, Sarkar S, **Gronenborn AM**, Polenova T. Ultrafast (1)H MAS NMR crystallography for natural abundance pharmaceutical compounds. *Mol Pharm*. 17(2):674-682, 2020, PMC7307729.
508. Kraus J, Gupta R, Lu M, **Gronenborn AM**, Akke M, Polenova T. Accurate backbone (13) C and (15) N chemical shift tensors in Galectin-3 determined by MAS NMR and QM/MM: Details of structure and environment matter. *ChemPhysChem*. 21(13):1436-1443, 2020, PMC8080305.
509. Lu M, Russell RW, Bryer AJ, Quinn CM, Hou G, Zhang H, Schwieters CD, Perilla JR, **Gronenborn AM**, Polenova T. Atomic-resolution structure of HIV-1 capsid tubes by magic-angle spinning NMR. *Nat Struct Mol Biol*. 27: 863-869, 2020, PMC7490828.
510. Nestor G, Ruda A, Anderson T, Oscarson S, Widmalm G, **Gronenborn AM**. A detailed picture of a protein-carbohydrate hydrogen-bonding network revealed by NMR and MD simulations. *Glycobiology* 31(4):508-518, 2021, PMC8091458.

511. Guseman AJ, Whitley MJ, Gonzalez JJ, Rathi N, Amberian M, **Gronenborn AM**. Assessing the structures and interactions of γ D-Crystallin deamidation variants. *Structure* 9(3):284-291.e3, 2021, PMC7935750.
512. Perilla JR, Hadden-Perilla JA, **Gronenborn AM**, Polenova T. Integrative structural biology of HIV-1 capsid protein assemblies: combining experiment and computation. *Curr Opin Virol.* 48:57-64, 2021, PMC818732.
513. Guo C, Fritz MP, Struppe J, Wegner S, Stringer J, Sergeyev IV, Quinn CM, **Gronenborn AM**, Polenova T. Fast ^{19}F magic angle spinning NMR crystallography for structural characterization of fluorine-containing pharmaceutical compounds. *Anal Chem*, 93(23):8210-8218, 2021, PMID34080855.
514. Sergeyev IV, Quinn CM, Struppe J, **Gronenborn AM**, Polenova T. Competing transfer pathways in direct and indirect dynamic nuclear polarization magic anglespinning nuclear magnetic resonance experiments on HIV-1 capsid assemblies: Implications for sensitivity and resolution. *Magn Reson (Gott)*, 2:239-249, 2021, PMC8203495.
515. Quinn CM, Zadorozhnyi R, Struppe J, Sergeyev IV, **Gronenborn AM**, Polenova T. Fast ^{19}F Magic-Angle Spinning Nuclear Magnetic Resonance for the Structural Characterization of Active Pharmaceutical Ingredients in Blockbuster Drugs. *Anal Chem.*, 93:13029-13037, 2021, PMID: 34517697.
516. Baskaran K, Wilburn CW, Wedell JR, Koharudin LMI, Ulrich EL, Schuyler AD, Eghbalian HR, **Gronenborn AM**, Hoch JC. Anomalous amide proton chemical shifts as signatures of hydrogen bonding to aromatic sidechains. *Magn. Reson.*, 2: 765-775, 2021.
517. Byeon IL, Calero G, Wu Y, Byeon CH, Jung J, DeLucia M, Zhou X, Weiss S, Ahn J, Hao C, Skowronski J, **Gronenborn AM**. Structure of HIV-1 Vpr in complex with the human nucleotide excision repair protein hHR23A. *Nat Commun.*, 12(1):6864, 2021, PMC8617076.
518. Zadorozhnyi R, Sarkar S, Quinn CM, Zadrozny KK, Ganser-Pornillos BK, Pornillos O, **Gronenborn AM**, Polenova T. Determination of histidine protonation states in proteins by fast magic angle spinning NMR. *Front. Mol. Biosci.* 8:767040, 2021, PMC8703106.
519. **Gronenborn AM**. Small, but powerful and attractive: ^{19}F in biomolecular NMR. *Structure*, 30(1): 6-14, 2022, PMC8797020.
520. Fuentes M, Srivastava S, **Gronenborn AM**, LaBaer J. A Quantitative Systems Approach to Define Novel Effects of Tumour p53 Mutations on Binding Oncoprotein MDM2. *Int J Mol Sci*, 23(1):53, 2022, PMC8744954.
521. Zhu W, Guseman AJ, Bhinderwala F, Lu M, Su XC, **Gronenborn AM**. Visualizing Proteins in Mammalian Cells by ^{19}F NMR spectroscopy. *Angew Chem Int Ed Engl.* 2022 Mar 12. doi: 10.1002/anie.202201097. Epub ahead of print. PMID: 35278268.

Books and Book Chapters

- Determination of three-dimensional structures of oligonucleotides in solution: combined use of nuclear Overhauser enhancement measurements and restrained least squares refinement, Clore, G.M., **Gronenborn, A.M.** In: Biomolecular Stereodynamics IV (Sarma, R.H., ed.) pp. 139-155, Adenine Press, New York (1986).
- The solution structure of RNA fragments by nuclear Overhauser enhancement measurements, **Gronenborn, A.M.**, Clore, G.M. In: Structure and Dynamics of RNA, (van Knippenberg, R.H., Hilbers, C.W., eds.) pp. 137- 150, NATO ASI series, Plenum Press, New York (1986).
- Determination of three-dimensional structures of proteins in solution by dynamical simulated annealing with interproton distances derived from nuclear magnetic resonance spectroscopy. Clore, G.M., Nilges, M., **Gronenborn, A.M.** (1989) In: Computer-Aided Molecular Design (Richards, W.G. ed.), pp. 203-219, IBC Technical Services, London. (1988).
- Extending the limits of protein structure determination by NMR. Clore, G.M. and **Gronenborn, A.M.** In: Theoretical Biochemistry and Molecular Biophysics: a Comprehensive Survey, (Beveridge, D.L. and Lavery, L., eds.), vol. 2, pp. 1-16, Adenine Press, New York (1989).
- Comparison of NMR and X-ray structures of hirudin. Clore, G.M., **Gronenborn, A.M.** (1991). In: "Computational Aspects of the Study of Biological Macromolecules by Nuclear Magnetic Resonance Spectroscopy", (ed. Hoch, J.C.), pp. 57-66, NATO ASI Series, Plenum Press, (1990).
- NMR and X-ray analysis of the three-dimensional structure of interleukin-8. Clore, G.M., **Gronenborn, A.M.**, In: Neutrophil-Activating Peptides and other Chemotactic Cytokines, (Baggiolini, M., Sorg, C., eds.) 4, 18-40, S. Karger, Basel (1991).
- Practical aspects of two, three and four-dimensional nuclear magnetic resonance spectroscopy applied to the study of protein structure. Clore, G.M., **Gronenborn, A.M.**, In: Protein Engineering - a Practical Approach, (eds. Rees, A.R., Wetzel, R., Sternberg, M.J.E.), Oxford University Press, pp. 33-52 (1992).
- NMR of Proteins, Topics, Clore, G.M., **Gronenborn, A.M.**, In: Molecular and Structural Biology, (1993) MacMillan Press, Ltd. (London)
- Structural studies of interleukin-8 and interleukin-4, **Gronenborn, A.M.**, Clore, G.M. In: Structural Biology: The State of the Art. (Sarma, R.H., Sarma, M.H., eds.) pp. 19-42, Adenine Press, New York (1994).
- Understanding 46X,Y sex reversal at the atomic level. Clore, G.M., Werner, M.H., Huth, J.R., **Gronenborn, A.M.** In: Biological Structure and Dynamics (eds. Sarma, R.H., Sarma, M.H.), Vol. 1, pp. 35-40, Adenine press, New York. (1996). In: Mechanisms of Transcription (eds. Eckstein, F., Lilley, D.M.J.), vol. 11, p. 265-273, Springer, Berlin.
- Enzyme studies by NMR: Promise and limitations – HIV-1 protease maturation; a case study. Louis, J.M., Clore, G.M., **Gronenborn, A.M.** In: Improving enzyme catalysis: screening, evolution, rational redesign. (Ornstein, R.L. ed.), Marcel Dekker Inc. (2000).

Protein Structure Refinement using residual dipolar couplings. **Gronenborn, A.M.** In: Protein NMR for the Millennium. Krishna, N.R., Verliner, L.J. (Edt), Kluwer Academic/Plenum Publishers, N.Y., 231-251, 2003

The DNA-binding domain of GATA transcription factors – A prototypical type IV Cys2-Cys2 zinc-finger. **Gronenborn, A.M.** In: Zinc Finger Proteins: From Atomic Contact to Cellular Function. Iuchi, S. and Kudell, N. (Edt), Kluwer Academic/Plenum Publishers, N.Y., 26-31, 2005

NMR Studies of Protein Complexes, **Gronenborn, A.M.**, In: Structure, Dynamics and Function of Biological Macromolecules and Assemblies, IOS Press, J. D. Puglisi (Ed.), 2005.

Measurement of residual dipolar couplings and applications in protein NMR. Ding, K., **Gronenborn, A.M.** In: Handbook of Modern Magnetic Resonance: Pharmaceutical Sciences; Kluwer Academic Publishers (London). G.Webb (Ed) 2006.

Anything Goes – Protein Structural Polymorphism, **Gronenborn, A.M.**, In: Structure and Biophysics – New Technologies for Current Challenges in Biology and Beyond, Springer (The Netherlands), J. D. Puglisi (Ed.), 2007.

Some Basic Biomolecular NMR for Protein Structure Determination, **Gronenborn, A.M.**, In: Supramolecular Structure and Function 9, Springer (The Netherlands), G. Pifat-Mrzljak (Ed.), 2007.

NMR for Proteins, **Gronenborn, A.M.**, In: Encyclopedia of Chemical Biology, Wiley, 2009

Structures of CVNH family lectins, **Gronenborn, A.M.**, In: Biophysics and the Challenges of Emerging Threats, Springer (The Netherlands), J. D. Puglisi (Ed.), 2009.

Proteins-Protein Interactions: Domain Swapping, **Gronenborn, A.M.**, In: Encyclopedia of Biophysics, Springer, 2011.

Structures of Novel HIV-inactivating Lectins, Koharudin, L.M.I., **Gronenborn, A.M.**, In: Biophysics and Structure to Counter Threats, Springer (The Netherlands), J. D. Puglisi (Ed.), 2011.

Protein and Nucleic Acid Folding: Domain Swapping in Proteins, Liu, L. and **Gronenborn, A.M.**, In: Edward H. Egelman, editor: Comprehensive Biophysics, Vol 3, The Folding of Proteins and Nucleic Acids, Valerie Daggett. Oxford: Academic Press, 2012. pp. 148-169.

Nuclear Magnetic Resonance Studies of Carbohydrate-Protein Interactions, Koharudin, L.M.I., **Gronenborn, A.M.**, In: Structural Glycobiology, E. Yuriev, P. A. Ramsland (eds), CRC Press, 2013, pp 29-45.

Lectins as HIV Microbicides, Koharudin, L.M.I., **Gronenborn, A.M.**, In: HIV Glycans in Infection and Immunity, R. Pantophlet (ed.), Springer, New York, 2014. pp 177-211

¹⁹F-modified Proteins and ¹⁹F-containing Ligands as Tools in Solution NMR Studies of Protein Interactions. Sharaf, N. G. & Gronenborn, A.M. 2015 Methods in Enzymology, Elsevier, 2015, Vol. 565, pp 67-95.

Letters

Markley JL, Akutsu H, Asakura T, Baldus M, Boelens R, Bonvin A, Kaptein R, Bax A, Bezsonova I, Gryk MR, Hoch JC, Korzhnev DM, Maciejewski MW, Case D, Chazin WJ, Cross TA, Dames S, Kessler H, Lange O, Madl T, Reif B, Sattler M, et al. In support of the BMRB. *Nat Struct Mol Biol*. 2012 Sep; 19(9):854-60. No abstract.

Other

PDB Community Focus: **Angela Gronenborn**, University of Pittsburgh, RCSB PDB Newsletter, No. 33, Spring, 2007.

“The Building Blocks of Biology”, **Angela Gronenborn**, *Futurum*, <https://doi.org/10.33424/FUTURUM79>, Issue 6, Page 74, Nov., 2020.

FEBS Journal Editorial Team, Gronenborn AM. Editor Profile: **Angela Gronenborn**. *FEBS J*. 2021 Aug;288(15):4432-4434. doi: 10.1111/febs.15889. PMID: 34342147.

Gronenborn AM. Meet the IUPAB councilor - Angela M. Gronenborn. *Biophys Rev*. 2021 Nov 19;13(6):835-838. doi: 10.1007/s12551-021-00886-7. PMID: 35059003; PMCID: PMC8724357.